

Fortinet

NSE6

Fortinet Advanced Products Professional

For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Question: 1

Which of these is an OATH-based standard to generate one-time password tokens?

- A. SCEP
- B. EAP-TLS
- C. TOTP
- D. HOTP

Answer: C

Question: 2

Which two types of digital certificates can you create in FortiAuthenticator? (Choose two.)

- A. 3rd-party root certificate
- B. Local services certificate
- C. User certificate
- D. CRL

Answer: B,C

Question: 3

You are a FortiAuthenticator administrator for a large organization, and suddenly all of the FortiToken 200 users in the organization are unable to authenticate using their tokens. What is the most probable reason?

- A. The FortiAuthenticator system time is not synchronized using NTP and has drifted.
- B. The X.509 certificates on the tokens, or the root CA certificate that signed the certificates, have been revoked.
- C. The clocks on all the tokens have drifted and require re-synchronizing.
- D. The tokens have all been locked.

Answer: A,C

Question: 4

Which is not a supported captive portal authentication method?

- A. SMS self-registration
- B. Facebook authentication
- C. Apple ID authentication
- D. MAC address authentication

Answer: D

Question: 5

Which CLI command on FortiAuthenticator is not used for troubleshooting network connectivity issues?

- A. ping
- B. tcpdump
- C. traceroute
- D. NTRADPing

Answer: D

Question: 6

Which behavior does not exist for certificate revocation lists (CRLs) on FortiAuthenticator?

- A. All local CAs share the same CRLs
- B. CRLs can be exported
- C. Revoked certificates are automatically placed on the CRL
- D. SCEP can be used to distribute CRLs

Answer: C

Question: 7

A device that is 802.1X non-compliant must be connected to the network. Which authentication method can you use to authenticate the device with FortiAuthenticator?

- A. EAP-TTLS
- B. EAP-TLS
- C. PEAP (MSCHAPv2)
- D. MAC authentication bypass

Answer: D

Question: 8

Which statements are true for the EAP-TTLS authentication method? (Choose two.)

- A. Uses mutual authentication
- B. Validates only the server (FortiAuthenticator) identity
- C. Requires an EAP server certificate
- D. Supports a port access control (wired) solution only

Answer: A,C

Question: 9

Which statements are true about the FortiAuthenticator CLI? (Choose two.)

- A. The CLI is used for initial configuration, factory resets, and debugging only
- B. The CLI is accessible through the dashboard of the Web-based manager
- C. The CLI is accessible through a terminal emulation application using the SSH protocol
- D. The CLI is used to configure DNS server addresses

Answer: A,C

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

20% Discount Coupon Code:

20off2018

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at <https://www.examsboost.com/test/nse6/>