

Denodo

Denodo-developer

DENODO PLATFORM 8.0 CERTIFIED DEVELOPER ASSOCIATE (DEN80EDUCDA)



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

Can you parameterize a POST request with an interpolation variable for a JSON data source?

- A. Yes, but only using the URL Parameters option.
- B. Yes, but only using the Post body option.
- C. No, you cannot parameterize a POST request.
- D. Yes, using URL parameters and using the Post body form.

Answer: D

Question: 2

Which of the following is true in regards to 'Configure JSON Wrapper' in a JSON Data Source?

- A. It is used to create a base view to access to the complete JSON document.
- B. It is used to change the 'tuple root' of the base view if you only want to access a portion of the JSON document.
- C. It is used to split the full JSON into nested registers.
- D. All the other answers are false.

Answer: B

Question: 3

We execute a NESTED JOIN between two views. The left view has 400 rows. We inspect the execution trace and observe that only 2 nested queries have been executed against the right view.

- A. This is not possible. It should make 400 queries over the right view (one query for each row in the left view).
- B. You cannot apply a NESTED JOIN in this case: the first view is too big.
- C. The execution trace will not show how many queries have been executed.
- D. This is possible due to an optimization that is applied when we have a JDBC or ODBC data source as the second view. VDP will retrieve the data from this view 'in blocks', instead of executing a query for each row obtained from the first view.

Answer: D

Question: 4

Development teams often work across several environments, for instance, DEV, TEST, PROD. What is the recommended way to promote changes to the PROD environment?

- A. It is recommended to configure the export/import scripts to run overnight so that deployments do not interfere with access to the PROD systems.
- B. As long as the teams internally align, developers can run deployments manually from the Virtual DataPort Administration Tool.
- C. There are no general Denodo recommendations for promoting changes to PROD environments, but you should align with a Denodo consultant to discuss the best way with respect to the development scenario.
- D. The recommended way to do this promotion is to use the Denodo Solution Manager to promote changes into the PROD system.

Answer: D

Question: 5

How can you revert changes on a Virtual DataPort Server?

- A. An administrator of the Virtual DataPort server can find the automatically created backups in the file system of the host where the Server is located.
- B. You can use the REVERT_CHANGES stored procedure and pass a previous date as a parameter. This can only be used by administrators.
- C. You can do this graphically by using the REVERT CHANGES wizard.
- D. You can use the import script in order to import a valid backup VQL from a previous state.

Answer: D

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at <https://www.examsboost.com/test/denodo-developer/>