

Huawei

*H11-861_V2.0
HCIP-Video Conference V2.0*



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

The processing process of audio signal from input to playback mainly includes: analog audio signal input, sampling quantization/encoding, playback, decoding, transmission/ Storage.

- A. True
- B. False

Answer: A

Question: 2

When the MCU is working in wall riding mode, GE0 is registered with switch center and GE1 can only support IP address calling.

- A. True
- B. False

Answer: A

Question: 3

The network diagnostic tool supports remote diagnostic mode, and the network diagnostic tool remotely controls another network diagnostic tool to initiate a network diagnosis and judgment against other network diagnostic tools.

- A. True
- B. False

Answer: A

Question: 4

Call Setup Signaling SETUP refers to a message sent by the caller to the called, indicating that the call is wanted to be established.

- A. True

B. False

Answer: A

Question: 5

In H460 networking, the H.245 TCP connection of the private network terminal is established with TS.

- A. True
- B. False

Answer: A

Thank You for Trying Our Product

Discount Coupon Code:

EXAMSBOOST10

For More Information – **Visit link below:**

<http://www.examsboost.com/>



FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email**

Attachment

- ✓ **24/7 Live Chat Support**
 - ✓ **PDF file could be used at any**
- Platform**

- ✓ **50,000 Happy Customer**