

Dell EMC

*D-VXR-OE-23
Dell Technologies VxRail Operate 2023*



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ **Up to Date products, reliable and verified.**
- ✓ **Questions and Answers in PDF Format.**

Latest Version: 7.0

Question: 1

What is the minimum recommended number of hosts in a vSAN cluster for FTT = 2 and FTM = Erasure Coding?

Response:

- A. 4
- B. 5
- C. 6
- D. 7

Answer: C

Question: 2

In a VxRail G560 node, which integrated NIC port is the Active port for vSAN traffic?

Response:

- A. Uplink 1
- B. Uplink 2
- C. Uplink 3
- D. Uplink 4

Answer: B

Question: 3

A user has three G Series nodes in a VxRail cluster. They are planning to add five additional G Series nodes. How much additional rack is required to accommodate the new nodes?

Response:

- A. 1U
- B. 2U
- C. 5U
- D. 10U

Answer: B

Question: 4


There is a request to add new disks to an existing VM residing on a VxRail vSAN that you manage. One disk is 250 GB. The VM is using the vSAN default storage policy. How many vSAN objects will be created?
Response:

- A. 2
- B. 3
- C. 6
- D. 9


Answer: D

Question: 5

What is the order of steps to generate the Solve procedure to add a capacity drive to a VxRail node?



Solution:



Determine whether the given solution is correct?
Response:

- A. Correct
- B. Incorrect

Answer: A

Question: 6

Which VxRail model is a 1U form factor per node?

Response:

- A. E Series
- B. P Series
- C. S Series
- D. G Series


Answer: A

Question: 7

What is the correct order of steps to create a VM for a new project using vSAN and VxRail?

Select the vSAN and appropriate storage policy	Step 1
Specify the hardware requirements	Step 2
Define the server or cluster the VM will use	Step 3
Specify the template	Step 4
Name the VM	Step 5

Solution:



Determine whether the given solution is correct?

Response:

- A. Correct
- B. Incorrect

Answer: A

Question: 8

What is the default time, in minutes, of the vSAN object repair timer?

Response:

- A. 30
- B. 60
- C. 120
- D. 1440

Answer: B

Question: 9

In which environment is it recommended to enable vSAN deduplication and compression?

Response:

- A. VDI Using Linked Clones
- B. OLTP Databases
- C. Mixed Workloads
- D. VDI Using Full Clones

Answer: D

Question: 10

What is the correct sequence of steps to deploy a second VDS for VxRail network traffic?

Cable VxRail NIC ports to ToR switches	Step 1
Configure the new VDS	Step 2
Create a VDS with the required number of uplinks	Step 3
Configure ToR switches to support VxRail network traffic on switch ports that are connected to the VxRail NIC ports	Step 4
Create port groups for the VxRail networks that must be migrated to the new VDS	Step 5

Solution:

Cable VxRail NIC ports to ToR switches	Create a VDS with the required number of uplinks
Configure the new VDS	Configure the new VDS
Create a VDS with the required number of uplinks	Cable VxRail NIC ports to ToR switches
Configure ToR switches to support VxRail network traffic on switch ports that are connected to the VxRail NIC ports	Create port groups for the VxRail networks that must be migrated to the new VDS
Create port groups for the VxRail networks that must be migrated to the new VDS	Configure ToR switches to support VxRail network traffic on switch ports that are connected to the VxRail NIC ports

Determine whether the given solution is correct?

Response:

- A. Correct
- B. Incorrect

Answer: A

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at <https://www.examsboost.com/test/d-vxr-oe-23/>