

Dell EMC

D-ECS-DY-23
Dell Technologies ECS Deploy 2023



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

How can an administrator avoid replicating a bucket and NOT use the global protection feature of ECS?
Response:

- A. Create a replication group with the local VDC
- B. Choose local or remote protection from the drop-down list during bucket creation
- C. Global protection feature must be used
- D. Disable ECS replication

Answer: A

Question: 2

Which configuration task is optional in ECS when enabling NetWorker with CloudBoost and ECS integration?
Response:

- A. Create a dedicated namespace for CloudBoost storage
- B. Generate with S3 secret key to add to the CloudBoost configuration
- C. Create an object user account for CloudBoost access
- D. Create a dedicated storage pool for CloudBoost storage

Answer: D

Question: 3

What must be configured prior to installing HAL and ECS services?
Response:

- A. Private.4
- B. Secure Remote Services file
- C. Service Console
- D. Topology file

Answer: D

Question: 4

After which step in the ECS 3.4 implementation process is it necessary to reinstall ECS if it becomes necessary to change node IP addresses?

Response:

- A. ECS configuration
- B. IPs can be changed at any time
- C. Installing fabric
- D. Installing HAL

Answer: B

Question: 5

Which type of license is required to add additional VDCs to a federation?

Response:

- A. Replication
- B. Capacity
- C. Expansion-Capacity
- D. D@RE

Answer: B

Question: 6

Which port is available for the ECS REST API?

Response:

- A. 2049
- B. 4443
- C. 8080
- D. 9081

Answer: B

Question: 7

When is D@RE enabled on a bucket or namespace?

Response:

- A. Any time for namespace, only at creation of bucket
- B. Any time for bucket, only at creation of namespace
- C. Only at time of creation
- D. Any time for both bucket and namespace

Answer: C

Question: 8

A single VDC environment has multiple ECS Gen3 racks. How does the Nile Area Network (NAN) communicate between the ECS Gen3 racks?

Response:

- A. Fox/Hound port 41 and 45
- B. Hare/Rabbit port 16 and 17
- C. Turtle port 51 or 52
- D. Management port node 1 or 2

Answer: A

Question: 9

Which type of load balancer can be configured to proactively conduct health checks of ECS nodes and remove unavailable nodes from the rotation?

Response:

- A. Physical/virtual
- B. HA proxy
- C. Manual IP
- D. DNS round robin

Answer: A

Question: 10

By default, how long does ECS retain capacity utilization data in monitoring history?

Response:

- A. 1 day
- B. 7 days

-
- C. 60 days
D. 1 year

Answer: C

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at <https://www.examsboost.com/test/d-ecs-dy-23/>