

# CWNP

CWISA-102

*Certified Wireless IoT Solutions Administrator Exam*



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**

## Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

---

# Latest Version: 6.0

## Question: 1

What part(s) of the OSI network model does the IETF primarily focus on for the development of standards?

- A. Physical Layer and above
- B. All layers
- C. Network Layer and above
- D. Data Link Layer

**Answer: C**

Explanation:

IETF's Focus: The Internet Engineering Task Force (IETF) primarily develops and standardizes internet protocols operating at the Network Layer (Layer 3) and above in the OSI model.

Key Protocols: Some prominent IETF-developed protocols include:

IP (Internet Protocol): Foundation of internet addressing and routing.

TCP (Transmission Control Protocol): Reliable, connection-oriented data transport.

UDP (User Datagram Protocol): Connectionless, best-effort data transport.

DNS (Domain Name System): Translates domain names into IP addresses.

HTTP (Hypertext Transfer Protocol): Web communication.

References

IETF Website: <https://www.ietf.org/> OSI Model: [https://en.wikipedia.org/wiki/OSI\\_model](https://en.wikipedia.org/wiki/OSI_model)

## Question: 2

What organization maintains and publishes the 802.15.4 Standard?

- A. Bluetooth SIG
- B. IEEE
- C. IETF
- D. Zigbee Alliance

**Answer: B**

Explanation:

IEEE 802.15.4: The IEEE 802.15.4 standard is a fundamental specification for low-rate wireless personal area networks (LR-WPANs). It serves as the basis for many wireless IoT protocols.

IEEE's Role: The Institute of Electrical and Electronics Engineers (IEEE) is the organization responsible for creating, maintaining, and publishing the 802.15.4 standard.

References

IEEE 802.15.4 Standard: [https://standards.ieee.org/standard/802\\_15\\_4-2020.html](https://standards.ieee.org/standard/802_15_4-2020.html)

IEEE Website: <https://www.ieee.org/>

### Question: 3

What is the most common difference between a single board computer (SBC) and a controller board?

- A. SBCs typically have connectors for display and input devices while controller boards do not
- B. Controller boards have I/O headers and SBCs do not
- C. SBCs always have connectors for M2 devices and controller boards do not
- D. Controller boards have more powerful processors than most SBCs

**Answer: A**

Explanation:

SBCs (Single Board Computers): Designed as standalone, small-form-factor computers. They often include:

Display Interfaces: HDMI, DisplayPort, etc.

Input Connections: USB for keyboards, mice, etc.

General Purpose Functionality: Can run a full operating system for wider applications.

Controller Boards: Focus on controlling specific hardware or systems.

Limited direct I/O: Limited connectors for displays/input devices.

Specialized tasks: Designed for embedded applications within larger systems.

References

SBC Examples: <https://www.raspberrypi.org/>, <https://www.beagleboard.org/>

Controller Board Examples: <https://www.arduino.cc/>

### Question: 4

You are considering the implementation of a lab for testing wireless equipment. What is the primary benefit of such a lab? (Choose the single best answer.)

- A. Provides for testing to determine how much RF exposure you can tolerate
- B. Provides a failover environment for your production systems
- C. Provides a way to repurpose old hardware that is not ready for final removal
- D. Provides a safe environment in which to develop practical skills and knowledge of a technology and to test the technology

**Answer: D**

Explanation:

Lab Purpose: Wireless testing labs offer controlled settings to:

Skill Development: Hone practical understanding of wireless technologies without impacting production environments.

---

Experimentation: Safely test different configurations, compatibility, and potential issues.

Troubleshooting: Isolate problems, test solutions, and understand how equipment behaves in various scenarios.

Other Benefits (While not the primary benefit):

Learning Environment: Ideal for structured training and exploration.

Evaluation: Compare hardware performance before deployment.

References

Benefits of IT Labs: Can be extended from wireless to broader IT experimentation and learning. (Articles on this topic are readily available)

## Question: 5

What is the typical range of a wireless body area network (WBAN)?

- A. 1-2 meters
- B. 10 square meters
- C. 10 centimeters
- D. 10 meters

**Answer: A**

Explanation:

WBAN Range: Wireless Body Area Networks (WBANs) specialize in short-range communication around the human body. Typical ranges fall within 1-2 meters.

Purpose: This range is designed to:

Connect sensors monitoring health metrics.

Transmit data to a central coordinator device (e.g., smartphone).

Minimize interference potential with other wireless networks.

References

WBAN Overview: [https://en.wikipedia.org/wiki/Body\\_area\\_network](https://en.wikipedia.org/wiki/Body_area_network)

WBAN Research Paper (Check Range Discussion): <https://www.mdpi.com/2224-2708/11/4/67>

---

# Thank You for Trying Our Product

For More Information – **Visit link below:**

**<https://www.examsboost.com/>**

15 USD Discount Coupon Code:

**G74JA8UF**

## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at <https://www.examsboost.com/test/cwisa-102/>