

Latest Version: 7.2

Subjects

1. SAP Fiori Implementation and Operations
2. SAP Fiori System Landscape
3. AS ABAP System Administration
4. Technology Components for HTTP-based Communication
5. SAP Fiori Infrastructure
6. SAP Fiori Content Management
7. SAP Fiori Architecture
8. SAP Fiori Foundation

Topic: 1

SAP Fiori Implementation and Operations

Question: 1

In an SAP S/4HANA system, you have executed all tasks of task list SAP_BW_SETUP_INITIAL_S4HAN

- A. How can you monitor the BW content activation?
- A. By analyzing the log of background job BI_TCO_ACTIVATION
 - B. By analyzing the activation logs available in transaction RSTCO_ADMIN
 - C. By analyzing logs for object RSTCO_UT in transaction SLG1
 - D. By analyzing the result of executing function module RSEC_GENERATE_BI_ALL

Answer: B

SAP Fiori Implementation and Operations

Question: 2

How do you assign a system-wide SAP Fiori catalog to a workbench request?

- A. In transaction /U12/FLPCM_CUST, by providing the transport request when creating the catalog
- B. In transaction /U12/FLPCM_CONF, by providing the transport request when creating the catalog
- C. In transaction /U12/FLPCM_CUST, by choosing "Transport" after the catalog was created
- D. In transaction /U12/FLPCM_CONF, by choosing "Transport" after the catalog was created

Answer: C

SAP Fiori Implementation and Operations

Question: 3

You want to work with the SAP Gateway performance trace tool (transaction /IWFND/TRACES).
What can you configure?

Note: There are 2 correct answers to this question.

- A. The maximum number of entries in the trace
- B. The duration in hours for the active trace
- C. The application server instance(s) on which the trace is activated
- D. The number of days to keep the performance trace data

Answer: B, D

SAP Fiori Implementation and Operations

Question: 4

Which of the following items need to be maintained in the target mapping to locate an SAPUI5 application?

Note: There are 3 correct answers to this question.

- A. ICF service URL
- B. System alias
- C. Application configuration
- D. Application type
- E. Component ID

Answer: A, D, E

SAP Fiori Implementation and Operations

Question: 5

In an SAP S/4HANA system, a target system alias, FIORI, is maintained for source system alias S4FIN.
Which connection is relevant for the extraction of back-end catalogs with alias S4FIN?

- A. FIORI_HTTPS
- B. FIORI_RFC
- C. S4FIN_RFC
- D. S4FIN_HTTPS

Answer: D

SAP Fiori Implementation and Operations

Question: 6

You want to enable apps based on KPI design.

How can you register SAP Gateway service /SSB/SMART_BUSINESS_RUNTIME_SRV?

Note: There are 2 correct answers to this question.

- A. Using task list SAP_FIORI_FOUNDATION_S4
- B. Using transaction /IWFND/V4_ADMIN
- C. Using transaction /IWFND/MAINT_SERVICE
- D. Using task list SAP_BW_SETUP_INITIAL_S4HANA

Answer: C, D

SAP Fiori Implementation and Operations

Question: 7

You are working in the development system of a typical three-tier transport landscape.

How do you record a custom theme in a customizing request?

- A. Using the "Transport" function in the UI Theme Tool (transaction /UI5/THEME_TOOL).
- B. Using the parameter THEME with filter SAP_FLP in the NWBC configuration (transaction /U12/NWBC_CFG_CUST).
- C. Using the "Build" function in the UI Theme Designer (transaction /UI5/THEME_DESIGNER).
- D. Using the parameter THEMING_DEFAULT_THEME in FLP Customer Settings (transaction /U12/FLP_CUS_CONF).

Answer: A

SAP Fiori Implementation and Operations

Question: 8

Which of the following changes to the SAP Fiori launchpad can be transported using a transport request of type Workbench?

- A. Customizing changes to SAP Fiori catalogs and groups
- B. Personalization changes
- C. Configuration changes to SAP Fiori catalogs and groups
- D. Theme design changes

Answer: C

SAP Fiori Implementation and Operations

Question: 9

Which selection options are available when you activate the SAP performance trace tool (transaction /IWFND/TRACES)?

Note: There are 2 correct answers to this question.

- A. Transaction name
- B. Variant name
- C. Request URI prefix
- D. User name

Answer: A, C

SAP Fiori Implementation and Operations

Question: 10

The SAP Fiori launchpad is working for your users.

How can you enable access to the SAP Easy Access menu for them in the app finder?

Note: There are 2 correct answers to this question.

- A. By applying the correct settings in the SAP Fiori launchpad configuration (transaction /U12/FLP_SYS_CONF or /U12/FLP_CUS_CONF)
- B. By providing an HTTP destination type H named FIORI_CLASSICUI_HTTPS (transaction SM59)
- C. By assigning the correct target mappings, shipped via catalog /U12/CLASSICAL_GUI_MENU
- D. By assigning the authorization to start transaction SEARCH_SAP_MENU

Answer: A, C