

Latest Version: 7.1

Subjects

1. Federation
2. Extensibility and Dataflows
3. Console Administration and Configuration
4. CIAM for B2B
5. Console - Administration and Configuration
6. Customer Identity and Site Groups
7. Data Schema
8. Managing Clean Core
9. Enterprise Preference Management
10. Mobile Apps
11. Best Practices

Topic: 1
Federation

Question: 1

You are implementing a website that will allow users to log in using their existing company credentials by initiating an OIDC flow. How would you configure your website and SAP Customer Data Cloud?

- A. SAP Customer Data Cloud as the IdP, and the website as the SP
- B. SAP Customer Data Cloud as the SP, and the website as the OP
- C. SAP Customer Data Cloud as the RP, and the website as the OP
- D. SAP Customer Data Cloud as the RP, and the website as the IdP

Answer: C

Federation

Question: 2

Which of the following are OpenID Connect terminology?
Note: There are 2 correct answers to this question.

- A. Metadata
- B. Claims
- C. Scope
- D. Assertion

Answer: B, C

Federation

Question: 3

What is the function of the Assertion Consumer Service URL in a SAML implementation?

- A. It enables the proxy page and its linked pages, such as login and error pages.
- B. It asserts the logged-in status of the consumer.
- C. It tells the IdP where to send the SAML response after authenticating a user.
- D. It allows consumers to securely enter their SAML credentials.

Answer: C

Federation

Question: 4

What attribute in a JSON Web Token (JWT) represents the UID of the user?

- A. kid
- B. id
- C. userKey
- D. sub

Answer: D

Federation

Question: 5

In an OIDC implementation, what endpoint returns claims about the authenticated user?

- A. The /introspect endpoint
- B. The /authorize endpoint
- C. The /userinfo endpoint
- D. The /token endpoint

Answer: C

Federation

Question: 6

What are the key pages required to set up SAP Customer Data Cloud as a SAML identity provider?
Note: There are 2 correct answers to this question.

- A. Assertion
- B. Proxy
- C. Error
- D. Consent

Answer: B, C

Federation

Question: 7

How can you get the public certificate that is required to validate a JSON Web Token?

- A. By downloading the certificate from the SAP Customer Data Cloud console
- B. By calling the endpoint `accounts.getJWTPublicCertificate`
- C. By requesting the certificate from the SAP Customer Data Cloud support team
- D. By calling the endpoint `accounts.getJWTPublicKey`

Answer: B

Topic: 2

Extensibility and Dataflows

Question: 8

You are setting up a new webhooks endpoint and you would like to retrieve the profile object on receipt of the "Account logged in" notification. What method would you recommend?

- A. `accounts.getAccountInfo` with UID from notification
- B. Use the profile object sent in the notification payload.
- C. `accounts.search` with `'SELECT profile FROM emailAccounts WHERE profile.email = $email from notification$'`
- D. `accounts.search` with `'SELECT profile FROM account WHERE profile.email = $email from notification$'`

Answer: A

Extensibility and Dataflows

Question: 9

Which events can be configured in the Console for webhooks?

Note: There are 3 correct answers to this question.

- A. Account registered
- B. Consent granted
- C. Account deleted
- D. Account verified
- E. Subscription updated

Answer: A, B, C

Extensibility and Dataflows

Question: 10

You are building a dataflow to transfer existing users' subscriptions from the marketing system to SAP Customer Data Cloud. The marketing system will provide a PGP-encrypted file and place it in an S3 bucket. All records that fail to update will be zipped and sent back to the S3 bucket.

Which actions will you perform during the creation of the dataflow?

Note: There are 2 correct answers to this question.

- A. Add a file.decrypt.pgp component and a file.compress.zip component.
- B. Add an error handling step after a datasource.read.amazon.s3 component.
- C. Add an error handling step after a datasource.write.gigya.account component.
- D. Add a file.encrypt.pgp component and a file.uncompress.zip component.

Answer: A, C