

Boost up Your Certification Score

SAP

C_IBP_2601

SAP Certified - SAP Integrated Business Planning



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ **Up to Date products, reliable and verified.**
- ✓ **Questions and Answers in PDF Format.**

Latest Version: 4.0

Subjects

1. Micro Skill Drill Exam
2. Unified Scenario Exam

Topic: 1
Micro Skill Drill Exam

Question: 1

A planning operations team has configured new exception alerts in SAP IBP to highlight delayed supply responses for critical products. The alerts appear in the monitoring area, but after a recent configuration change, planners report that some alerts no longer reach the intended regional owners, even though the same users can still access the related product-location views. The organization wants to keep the new alerting model because it supports a moderate modernization effort toward faster collaborative response, but the current cycle cannot tolerate missed follow-up ownership.

The consultant must identify the best first action that restores assignment accuracy without broadening responsibilities to all planners or abandoning the updated alert configuration. The issue must be corrected inside the current cloud-based setup before the next operational review.

Which action should the consultant take first?

Response:

- A. Expand alert ownership to every regional planner so no alert remains unassigned during the current cycle.
- B. Verify whether the recent configuration change affected the assignment rules or ownership attributes used to route alerts to regional users.
- C. Lower the alert threshold so additional exceptions are created and planners can identify missing assignments more quickly.
- D. Ask planners to review the central monitoring area more often until the assignment problem is solved in a later sprint.

Answer: B

Explanation:

Feedback:

The alerts are being generated, and users can access the related planning views, so the issue is not general system availability or complete access failure. The failure occurs specifically in alert ownership routing after a recent configuration change. The dependency chain is alert condition and configuration → ownership attributes or routing rules → assignment to regional user → collaborative follow-up → operational validation. If the routing logic no longer matches the relevant regional ownership attributes, alerts can exist without reaching the correct planner. Reviewing that assignment dependency is the right first step.

Question: 2

A company is modernizing its planning process by replacing a manually maintained forecast upload with a controlled inbound integration into SAP IBP. During the transition period, the old upload remains available for one cycle as a fallback. After the first combined cycle, planners see the new forecast values in the detailed planning view, but one downstream analytics measure still shows earlier totals for the same product family. The integration completed successfully, and no access issue is reported.

The project sponsor wants to continue the modernization effort because the old upload caused delays, but the team cannot risk inconsistent numbers in the current planning review. The consultant must identify the best first action to determine whether the transition introduced a mismatch between the new inbound mapping and the downstream analytical dependency.

What should the consultant do first?

Response:

- A. Restore the manual forecast upload for all product families until the new inbound integration is fully rolled out in a later phase.
- B. Verify whether the new inbound mapping populates the planning level and dependent inputs expected by the downstream analytical measure during the fallback period.
- C. Ask planners to rely only on the detailed planning view and ignore the analytical totals for the remainder of the current review cycle.
- D. Increase the frequency of the inbound integration so the newer values can replace the earlier totals more quickly across all analytics.

Answer: B

Explanation:

Feedback:

The detailed forecast values are visible, so the new inbound integration is working at least at the input layer. The inconsistency appears in a downstream analytics measure, which suggests a structural mismatch in how the new data maps to the planning level or dependent inputs used by that measure. The reasoning chain is new inbound mapping during fallback coexistence → planning-level population and dependent inputs → analytical measure calculation → reported totals → review readiness. Checking that alignment directly tests whether the modernization step created the inconsistency.

Question: 3

A company is modernizing its SAP IBP setup by replacing a manually maintained shipment-window upload with a controlled inbound integration, while keeping the older upload active for one cycle as fallback. The new integration completes successfully, and planners can see the updated shipment-window attribute in detailed planning views. However, one downstream order-confirmation result still behaves as though the earlier shipment window remains active for a specific export segment, while other segments reflect the new values correctly.

The project sponsor wants to continue the modernization step because the manual process caused timing inconsistencies, and the current review window does not allow a full rollback. The consultant must identify the best first action to test whether coexistence created overlapping or mismatched

shipment-window inputs into the downstream confirmation logic rather than assuming the confirmation rule itself needs redesign.

What should the consultant do first?

Response:

- A. Increase the inbound integration frequency so the new shipment-window values become dominant over the fallback upload more quickly.
- B. Verify whether the fallback upload and the new integration are both populating shipment-window inputs or rule paths used by the downstream order-confirmation logic for the affected export segment.
- C. Restore the previous manual shipment-window upload for the affected segment until the current review cycle is complete.
- D. Ask planners to manually adjust order confirmations for the affected export segment during this cycle and review automation later.

Answer: B

Explanation:

Feedback:

The updated shipment-window attribute is visible in detailed views, so the new integration is functioning at the source-data layer. The inconsistency appears only in a downstream confirmation result and only during coexistence. The dependency chain is old and new shipment-window inputs coexisting → population of rule-relevant paths → downstream order-confirmation execution → observed confirmation behavior → review validation. If both the fallback and the new integration feed the same logic path for the affected export segment, the result can still behave as though the old shipment window remains active even while planners see the new attribute upstream.

Question: 4

A company is modernizing its SAP IBP setup by replacing a manually maintained deployment-priority upload with a controlled inbound integration, while keeping the older upload active for one cycle as fallback. The new integration completes successfully, and planners can see the updated priority attribute in detailed planning views. However, one downstream stock-transfer recommendation still behaves as though the earlier priority remains active for a specific plant-channel combination, while other combinations reflect the new values correctly.

The project sponsor wants to continue the modernization step because the manual process caused timing inconsistencies, and the current review window does not allow a full rollback. The consultant must identify the best first action to test whether coexistence created overlapping or mismatched priority inputs into the downstream transfer logic rather than assuming the transfer rule itself needs redesign.

Which action should the consultant take first?

Response:

Increase the inbound integration frequency so the new deployment-priority values become dominant over the fallback upload more quickly.

Restore the previous manual deployment-priority upload for the affected plant-channel combination until the current review cycle is complete.

Verify whether the fallback upload and the new integration are both populating priority inputs or rule paths used by the downstream stock-transfer logic for the affected combination.

Ask planners to manually override stock-transfer order for the affected combination during this cycle and review automation later.

Answer: C

Explanation:

Feedback:

The updated priority attribute is visible in detailed views, so the new integration is functioning at the source-data layer. The inconsistency appears only in a downstream stock-transfer result and only during coexistence. The dependency chain is old and new priority inputs coexisting → population of rule-relevant paths → downstream stock-transfer execution → observed transfer outcome → review validation. If both the fallback and the new integration feed the same logic path for the affected plant-channel combination, the result can still behave as though the old priority remains active even while planners see the new attribute upstream.

Question: 5

A company is modernizing its SAP IBP planning setup by replacing a manually prepared customer-priority upload with a controlled inbound integration, while keeping the old upload active for one cycle as a fallback. The new integration completes successfully, and planners can see the updated priority attribute in detailed planning views. However, one downstream supply-allocation result still behaves as if the earlier priority values are active for a specific customer segment, while other segments respond to the new priorities as expected.

The project sponsor wants to continue the modernization step because the manual process caused timing and consistency issues, and the current review window does not allow a full rollback. The consultant must identify the best first action to test whether the coexistence period created overlapping or mismatched priority inputs into the downstream allocation logic rather than assuming the allocation rules themselves need redesign.

Which action should the consultant take first?

Response:

- A. Verify whether the fallback upload and the new integration are both populating customer-priority inputs or rule paths used by the downstream allocation logic for the affected segment.
- B. Increase the inbound integration frequency so the newer priority values become dominant over the fallback upload more quickly.
- C. Ask planners to manually reorder supply allocation for the affected segment during the current cycle and preserve the automated setup for the others.
- D. Restore the earlier manual priority upload for the affected segment so the current review follows the pre-transition behavior.

Answer: A

Explanation:

Feedback:

The updated priority attribute is visible in detailed views, so the new integration is functioning at the source-data layer. The inconsistency appears in a downstream allocation result and only for one segment during a coexistence period. That strongly suggests a second-order conflict in the chain coexisting old and new priority inputs → population of rule-relevant data paths → downstream allocation execution → observed supply allocation result → review validation. If both the fallback and

the new integration contribute to the same priority-dependent logic, the allocation result can still behave as if old values are active even though planners see the new attribute in detailed views.

Question: 6

A consulting team is preparing a monthly planning cycle in SAP IBP for a business that wants demand review, supply balancing, and executive signoff to follow a stricter sequence. During testing, planners complete the demand step, but some supply planners start adjusting response values before the demand review is formally accepted. The system remains accessible and the planning views load correctly, so the issue is not an outage.

The planning manager does not want to create separate duplicate workbooks or delay the cycle, because user acceptance testing must stay aligned with the intended operating process. The consultant must correct the process behavior inside the current cloud-based setup so that the planning sequence supports controlled execution and user adoption without adding unnecessary complexity.

What is the best next action for the consultant?

Response:

- A. Disable all supply planning views temporarily so no planner can make changes until the full cycle is complete.
- B. Review whether the planning process step controls and user assignments are correctly aligned to the intended sequence and status transitions.
- C. Ask the demand planners to finish earlier in the day so supply planners can begin without depending on formal process acceptance.
- D. Publish a process memo telling users to wait for signoff before making supply adjustments in future planning cycles.

Answer: B

Explanation:

Feedback:

The issue is behavioral in the system-supported planning sequence, not basic access. Users can open views, but the wrong group can act before the intended process stage is complete. The dependency chain is planning cycle design → process step/status configuration → user assignment and permissions by stage → execution timing → process validation. Reviewing the process controls and assignments directly addresses why supply adjustments are possible too early while preserving the target operating model.

Question: 7

During user acceptance testing, a planner group uses the SAP IBP Excel add-in to review a new planning workbook designed for collaborative forecast adjustments. Users can open the workbook, view the expected product hierarchy, and enter comments in the collaboration section, but a key editable forecast column appears read-only for one planner team while another team can change the same values without issue. The workbook template was updated earlier in the week to support a cleaner planning process and reduce reliance on older workbook variants.

The project lead wants to keep the updated workbook structure because it supports broader user adoption goals, but the current test window requires restoring edit capability only where it should exist. The consultant must identify the best first action without creating a separate workbook or weakening the intended process control.

What should the consultant do first?

Response:

- A. Publish a second workbook with unrestricted editing so all planner teams can continue testing without waiting for a controlled fix.
- B. Reinstall the Excel add-in for the affected planner team because read-only behavior usually indicates a local client inconsistency.
- C. Check whether the updated workbook and associated planning permissions correctly expose write-enabled forecast input for the intended team context.
- D. Remove the collaboration section from the workbook so the editable forecast column can behave consistently during the remaining UAT cycle.

Answer: C

Explanation:

Feedback:

The workbook opens correctly, the hierarchy is visible, and another team can edit the same forecast values. That indicates the issue is selective and likely tied to the interaction between workbook context and write-enabled planning permissions rather than a general client failure. The dependency chain is updated workbook design → team-specific planning context and permissions → editable forecast input exposure → user execution → UAT validation. Checking whether the workbook and associated permissions are correctly aligned for the intended team addresses the root cause while keeping the controlled workbook structure in place.

Question: 8

A company is incrementally modernizing its planning process by introducing a new SAP IBP data feed for inventory snapshots while keeping the prior source active for one cycle as a fallback. After the first synchronized load, planners notice that inventory exceptions in the control process have increased sharply, but physical stock has not changed. The load completed without a hard failure, and planners can still open their views and dashboards.

The project lead does not want to roll back the entire modernization step unless necessary because the new source will be the long-term standard. The implementation consultant must identify the best first action that reduces planning risk today while testing whether the new integration design is causing duplicated or misaligned inventory inputs across the coexistence period.

What should the consultant do first?

Response:

- A. Permanently disable the legacy inventory feed and continue only with the new source so the organization fully commits to the target design immediately.
- B. Ask planners to manually adjust the exception thresholds in their views so the spike does not interrupt the current planning cycle.

- C. Validate whether the new and legacy inventory feeds are both populating overlapping key figure inputs or time buckets during the coexistence window.
- D. Increase the frequency of the new inventory load so the current values replace older records more quickly across all planning views

Answer: C

Explanation:

Feedback:

The scenario explicitly introduces a coexistence period, which creates modernization tension. A sharp exception increase after a synchronized load, without physical stock change, suggests not a real inventory event but a design misalignment in the feed interaction. The key dependency chain is coexistence strategy → inbound data mapping/timing overlap → key figure population by bucket → exception calculation → planning response. Checking whether both feeds are populating overlapping inventory inputs directly tests the most likely upstream cause while keeping both the current cycle and long-term modernization path intact.

Question: 9

A consultant is supporting UAT for a revised SAP IBP inbound process that now loads transportation lead-time data through a controlled integration instead of a manually maintained upload. The new job completes successfully, and planners can see the updated lead-time attribute in detailed planning views for most lanes. However, one downstream supply feasibility measure still behaves as if the older lead-time value is active for a specific export corridor, while adjacent corridors reflect the new values correctly.

The project team wants to preserve the new inbound design because it reduces manual maintenance effort, and the current UAT cycle does not allow a full rollback. The consultant must identify the best first action to test whether the corridor-specific analytical dependency still points to the old lead-time context rather than assuming the measure itself needs adjustment.

Which action should the consultant take first?

Response:

- A. Verify whether the new lead-time attribute is consistently mapped into the downstream feasibility logic and corridor-specific calculation context for the affected export route.
- B. Increase the inbound load frequency so the new lead-time values can replace the older corridor values more quickly across all planning layers.
- C. Ask planners to use the detailed lane view only and ignore the feasibility measure for the affected export corridor during the current cycle.
- D. Restore the previous manual lead-time upload for the affected corridor so the current UAT cycle can follow the earlier planning behavior.

Answer: A

Explanation:

Feedback:

The updated attribute is visible in detailed views, which shows the inbound process is functioning at the source-data layer. The inconsistency appears only in a downstream feasibility measure and only for one export corridor. That points to a second-order dependency issue rather than a general data-load failure. The chain is controlled inbound attribute load → mapping into corridor-specific calculation context → downstream feasibility logic → reported result → planner validation. If the affected corridor still resolves through the old lead-time context, the system can show new attribute values in detailed views while the analytical result still behaves as though the earlier value is active.

Question: 10

A company is testing a revised SAP IBP monthly cycle in which the approved constrained plan must be marked as released before the inventory-rebalancing step can consume it. In the cloud tenant, planners complete the release action and the cycle overview shows the release state as successful. However, for one product channel, the downstream rebalancing step still opens against the earlier working plan while other channels correctly use the released version.

The process owner wants to keep the simplified cycle and avoid creating channel-specific process branches during rollout. The consultant must identify the best first action to test whether the channel-specific release state is not correctly bound to the downstream plan version rather than treating this as a delayed workbook update.

What should the consultant do first?

Response:

- A. Ask the rebalancing planners to reopen the workbook for the affected channel so the released plan can load in a fresh session.
- B. Instruct the team to continue the cycle with the earlier working plan for the affected channel and review the release design later.
- C. Review whether the affected product channel's release status is correctly linked to the plan version selected by the downstream rebalancing step.
- D. Remove the affected product channel from the current cycle so the remaining channels can proceed under the simplified flow.

Answer: C

Explanation:

Feedback:

The release action completes and is visible in the cycle overview, so the upstream process step exists. The failure is selective to one channel and appears only in what the downstream step consumes. That points to a second-order dependency in the chain release completion → channel-specific status binding → downstream version selection → rebalancing execution → UAT validation. If the released state for that channel is not correctly linked to the version selector used by the downstream step, the process can still open against the earlier working plan even though the overview looks correct.

Topic: 2

Unified Scenario Exam

Question: 11

CHALLENGE 1 — Seasonal Forecast Scope and Analytics Alignment

During rollout planning, a distributor forecast for an autumn fabric collection appears in the SAP IBP Excel demand planning view. The same forecast is missing from the S&OP analytics package used for the readiness meeting.

Which action best supports reliable validation?

Response:

- A. Add the missing forecast manually to the analytics package so the readiness meeting can continue.
- B. Validate that distributor forecast integration, key figure update, Excel visibility, and analytics scope reference the same cycle.
- C. Ask planners to remove the forecast from the Excel view until analytics are updated in a later wave.
- D. Approve the S&OP analytics package because it is the official management review artifact.

Answer: B

Explanation:

Feedback:

The forecast appears in one planning output but not another, so the correct action is to validate the full scope and timing chain. Distributor input, key figure update, Excel visibility, and analytics must reference the same cycle before readiness evidence is accepted.

Question: 12

CHALLENGE 1 — Seasonal Forecast Scope and Analytics Alignment

A regional team asks for a local analytics filter so its distributor grouping matches the Excel planning view. The central template owner is unsure whether the difference comes from filter design or seasonal product assignment.

What should be done first?

Response:

- A. Approve the local filter because regional teams understand their distributor groupings best.
- B. Validate seasonal product and distributor scope across planning views and analytics before changing the report.
- C. Remove distributor grouping from the Excel view so users compare only product-level totals.
- D. Allow the local filter only for this rollout wave and review the effect after go-live.

Answer: B

Explanation:

Feedback:

The difference may come from scope assignment or report filtering, so changing the report first could hide the underlying cause. Validating product and distributor scope preserves template consistency and reliable readiness evidence.

Question: 13

CHALLENGE 2 — Warehouse Scenario and Inventory Alert Review

Supply planners compare warehouse coverage scenarios for seasonal décor fabrics. The scenario output shows fewer coverage concerns than the inventory alert monitor, which was refreshed after a later application job.

Which response best addresses the dependency?

Response:

- A. Use the lower scenario count because it supports a faster supplier-capacity decision.
- B. Rebuild the scenario comparison and alert review from the same completed planning cycle and warehouse scope.
- C. Increase alert thresholds until the alert count matches the scenario output used by supply planners.
- D. Ask supply planners to document the difference and proceed with the current scenario output.

Answer: B

Explanation:

Feedback:

The scenario and alert outputs were refreshed at different points, so they cannot be treated as aligned evidence. Rebuilding both from the same completed cycle and warehouse scope addresses the timing and scope dependency.

Question: 14

CHALLENGE 2 — Warehouse Scenario and Inventory Alert Review

The sponsor wants inventory alerts reviewed immediately after the inventory data load because retailer availability commitments are urgent. The planning analyst notes that planning operators have not yet updated dependent key figures.

Which decision best balances speed and validation?

Response:

- A. Accept alert counts immediately after the load because urgent retailer commitments require fast evidence.
- B. Use early alert review for discussion, but accept formal readiness evidence only after operator completion and alert refresh.
- C. Disable alerts during the rollout wave and rely only on warehouse scenario comparisons.
- D. Let regional teams maintain local alert counts until the central planning cycle catches up.

Answer: B

Explanation:

Feedback:

This allows business discussion to begin while protecting formal validation. Alert evidence should be accepted only after the planning operators update dependent key figures and the alert refresh completes.

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at: <https://www.examsboost.com/test/c-ibp-2601>