

Boost up Your Certification Score

Huawei H14-211

**Huawei Certified ICT Associate-HarmonyOS Application
Developer**



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ **Up to Date products, reliable and verified.**
- ✓ **Questions and Answers in PDF Format.**

Latest Version: 6.0

Question: 1

Which ArkUI attribute allows a developer to apply a "blur" effect to the background of a component, similar to frosted glass?

- A. .opacity()
- B. .backdropBlur()
- C. .shadow()
- D. .grayscale()

Answer: B

Question: 2

How does a UI page communicate data back to its parent UIAbility instance in the Stage Model?

- A. UI pages cannot communicate with the Ability.
- B. By calling this.parent() in ArkTS.
- C. By using the EventHub provided by the AbilityContext.
- D. By using global variables.

Answer: C

Question: 3

For storing small amounts of user settings, such as "Dark Mode" preferences, which ArkData storage method is most appropriate for high-speed synchronous access?

- A. Preferences
- B. Distributed Data Service
- C. KV Store
- D. RDB Store

Answer: A

Question: 4

If a UIAbility is currently in the background but hasn't been destroyed, and the user navigates back to it, which lifecycle sequence occurs?

- A. onCreate() -> onForeground()
- B. onForeground() -> onWindowStageCreate()
- C. onBackground() -> onForeground()
- D. onForeground() is called directly.

Answer: D

Question: 5

Which attribute is used in ArkUI to specify that a component should occupy all remaining space along the main axis of its parent container?

- A. .width('100%')
- B. .layoutWeight(1)
- C. .flexGrow(1)
- D. .aspectRatio(1)

Answer: B

Question: 6

A developer wants a widget to update its displayed information (e.g., weather or stock price) every 30 minutes. Which configuration field in module.json5 facilitates this?

- A. updateEnabled
- B. scheduledUpdateTime
- C. updateDuration
- D. formUpdateInterval

Answer: C

Question: 7

When a widget needs to perform a small background logic task (like toggling a smart light) without opening the main app, which postCardAction type should be used?

- A. 'call'
- B. 'update'
- C. 'router'

D. 'message'

Answer: D

Question: 8

In the lifecycle of a UIAbility, which callback is the final opportunity for the developer to save transient state data before the ability instance is destroyed by the system?

- A. onBackground()
- B. onForeground()
- C. onDestroy()
- D. onWindowStageDestroy()

Answer: C

Question: 9

To use the Distributed Data Service for syncing a database across devices, which permission must be requested by the application?

- A. ohos.permission.DISTRIBUTED_DATASYNC
- B. ohos.permission.INTERNET
- C. ohos.permission.KEEP_BACKGROUND_RUNNING
- D. ohos.permission.SYNC_DATA

Answer: A

Question: 10

What is the primary difference between an Entry HAP and a Feature HAP in a HarmonyOS application package?

- A. An application can contain multiple Entry HAPs but only one Feature HAP.
- B. Feature HAPs do not require a module.json5 file.
- C. Entry HAPs are only for phones; Feature HAPs are only for smartwatches.
- D. Entry HAPs contain the main entry point of the app; Feature HAPs provide additional, optional functionality.

Answer: D

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at: <https://www.examsboost.com/test/h14-211>