Boost up Your Certification Score

Dental
ORE-Part1
Overseas Registration Examination (ORE) Part 1

Exams Boost
Boost Up Your Career

For More Information – Visit link below:

https://www.examsboost.com/

Product Version

✓ Up to Date products, reliable and verified.
✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

According to the 2017 classification of periodontal diseases, how is periodontitis primarily staged?

A. By patient age and smoking status alone
B. By severity of attachment and bone loss (Stages I-IV)
C. By the number of missing teeth only
D. By plaque index score without radiographs

Answer: B

Question: 2

Under IR(ME)R, which principle requires that every dental radiograph taken must have a clear clinical benefit?

A. The justification of each individual exposure
B. Taking radiographs at every recall regardless of need
C. The ALARP principle (as low as reasonably practicable)
D. The use of lead aprons for every patient always

Answer: A

Question: 3

Immediately after a needlestick injury from a used dental needle, what is the correct first action?

A. Ignore it if the patient appears healthy
B. Suck the wound to remove blood from the injury
C. Apply a tourniquet above the needlestick site
D. Encourage the wound to bleed, wash with soap and running water, and cover it

Answer: D

Question: 4

Visit us at: https://www.examsboost.com/test/ore-part1

Why is hand hygiene considered the single most important measure for preventing cross-infection in dental practice?

A. It is the cheapest equipment to buy for the practice
B. Hands are the main route of cross-infection
C. It only matters before eating
D. It removes the need for gloves during treatment

Answer: B

Question: 5

Which sterilisation method is the standard for reusable dental instruments in UK primary care, as set out in HTM 01-05?

A. Immersion disinfection in 70% alcohol only
B. Steam autoclaving (moist heat under pressure)
C. Ethylene oxide gas
D. Dry heat sterilisation at 160 degrees Celsius

Answer: B

Question: 6

In the Basic Periodontal Examination (BPE), what does a score of code 4 in a sextant indicate?

A. Probing depths up to 3.5 mm with no bleeding
B. Bleeding on probing with pockets up to 3.5 mm
C. Probing depths of 3.5-5.5 mm (black band partially visible)
D. Probing depths of 6 mm or more (black band disappears)

Answer: D

Question: 7

A patient makes a formal complaint about their treatment. What does good professional practice and GDC guidance require?

A. Acknowledge it promptly, respond constructively, and have a clear complaints procedure
B. Tell the patient to take their concerns elsewhere
C. Ignore the complaint unless it becomes legal
D. Immediately refund all fees without investigation

Visit us at: https://www.examsboost.com/test/ore-part1

Answer: A

Question: 8

By what age have all the primary (deciduous) teeth usually erupted in a healthy child?

A. By around 12 months (primary dentition incomplete)
B. By around 25-3 years
C. By around 7 years
D. By around 5 years (mixed dentition starting)

Answer: B

Question: 9

A patient has dentine hypersensitivity to cold at the cervical area with no caries or restorations. Which management is most appropriate first?

A. High-fluoride desensitising toothpaste and dietary advice
B. Extraction of the affected teeth
C. Root canal treatment of the sensitive tooth
D. Full coverage crown on every sensitive tooth

Answer: A

Question: 10

In the UK, which index is used to prioritise patients for orthodontic treatment need on the NHS?

A. DMFT index (caries experience measure)
B. Index of Orthodontic Treatment Need (IOTN)
C. PUFA index
D. Plaque index (oral hygiene measure)

Answer: B

Thank You for Trying Our Product

For More Information – Visit link below:

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ 90 Days Free Updates
- ✓ Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- ✓ PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

