

**Boost up Your Certification Score**

# **SAS Institute**

## **A00-281**

**SAS Certified Clinical Trials Programming Using SAS 9 - Accelerated Version**



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**

### **Product Version**

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

# Latest Version: 6.0

## Question: 1

This question will ask you to provide a line of missing code. Given the data set WORK.STUDYDATA with the following variable list:

#	Variable	Type	Len	Label
2	DAY	Char	8	Study Day
3	DIABP	Num	8	Diastolic Blood Pressure
1	TRT	Char	8	Treatment

The following SAS program is submitted:

```
proc means data=WORK.STUDYDATA noprint;  
<insert code here>  
class TRT DAY;  
var DIABP;  
output out=WORK.DIAOUT mean=meandp;  
run;
```

WORK.DIAOUT should contain:

- the mean diastolic blood pressure values for every day by treatment group
- the overall mean diastolic blood pressure for each treatment group

Which statement correctly completes the program to meet these requirements?

Response:

- A. where trt or trt\*day;
- B. types trtrtrt\*day;
- C. by trt day;
- D. id trt day;

**Answer: B**

## Question: 2

The following SAS program is submitted:

```
proc sort data=SASUSER.VISIT out=PSORT;  
by code descending date cost;  
run;
```

Which statement is true regarding the submitted program?

Response:

- A. The descending option applies to the variable CODE.
- B. The variable CODE is sorted by ascending order.
- C. The PSORT data set is stored in the SASUSER library.
- D. The descending option applies to the DATE and COST variables.

**Answer: D**

### Question: 3

Given the following data set:

subjid	trt	result	dtime	age
1		CR	0	56
2	A	PD	1	52
3	B	PR	1	47
4	B	CR	2	29
5	1	SD	1	39
6	C	SD	3	21
7	C	PD	2	90
1	A	CR	0	43
3	B	PD	1	56

The following output was generated from PROC PRINT.

Obs	subjid	trt	result	dtime	age
1	1		CR	0	56
2	2	A	PD	1	52
3	3	B	PR	1	47
4	4	B	CR	2	29
5	5	1	SD	1	39
6	6	C	SD	3	21
7	7	C	PD	2	90

Which program was used to prepare the data for this PROC PRINT output?

Response:

- A. proc sort data=one out=two;  
bysubjid;  
run;
- B. proc sort data=one out=two nodupkey;  
bysubjid;  
run;
- C. proc sort data=one out=two nodup;  
bysubjid;  
run;
- D. proc sort data=one out=two nodupkey;  
bysubjidtrt;

```
run;
```

**Answer: B**

## Question: 4

This question will ask you to provide a line of missing code. The following SAS program is submitted:

```
proc format;  
valuedayfmt 1='Sunday'  
            2='Monday'  
            3='Tuesday'  
            4='Wednesday'  
            5='Thursday'  
            6='Friday'  
            7='Saturday';
```

```
run;
```

```
proc report data=diary;  
column subject day var1 var2;  
<insert code here>
```

```
run;
```

In the DIARY data set, the format DAYFMT is assigned to the variable DAY. Which statement will cause variable DAY to be printed in its unformatted order?

Response:

- A. define day / order 'Day';
- B. define day / order order=data 'Day';
- C. define day / order noprint 'Day';
- D. define day / order order=internal 'Day';

**Answer: D**

## Question: 5

Given the following data at WORK DEMO:

PTID	Sex	Age	Height	Weight
457892	M	14	69.0	112.5
464389	F	13	56.5	84.0
478865	F	13	65.3	98.0
483476	F	14	62.8	102.5
493847	M	14	63.5	102.5
500029	M	12	57.3	83.0
513842	F	12	59.8	84.5
515151	F	15	62.5	112.5
522396	M	13	62.5	84.0
534787	M	12	59.0	99.5
536777	F	11	51.3	50.5
546823	F	14	64.3	90.0
556677	F	12	56.3	77.0
565699	F	15	66.5	112.0
578222	M	16	72.0	150.0
635445	M	12	64.8	128.0

Which SAS program prints only the first 5 males in this order from the data set?

Response:

- A. proc sort data=WORK.DEMO out=out;  
by sex;  
run;  
proc print data= out (obs=5);  
run;
- B. proc print data=WORK.DEMO(obs=5);  
where Sex='M';  
run;
- C. proc print data=WORK.DEMO(where=(sex='M'));  
whereobs<=5;  
run;
- D. proc sort data=WORK.DEMO out=out;  
by sex descending;  
run;  
proc print data= out (obs=5) ;  
run;

**Answer: B**

## Question: 6

Which SAS program will apply the data set label 'Demographics' to the data set named DEMO?

Response:

- A. data demo (label='Demographics');  
set demo;  
run;
- B. data demo;  
set demo (label='Demographics');

```
run;  
C. data demo (label 'Demographics') ;  
set demo;  
run;  
D. data demo; set demo;  
label demo= 'Demographics' ;  
run;
```

**Answer: A**

## Question: 7

The following output is displayed:

Table of GENDER by ANSWER

GENDER	ANSWER				
Frequency	1	2	8	Total	
1	12	22	5	39	
2	22	8	3	33	
Total	34	30	8	72	

Frequency Missing = 4

Which SAS program created this output?

Response:

- A. proc freq data=WORK.TESTDATA;  
tables gender \* answer / nocolnorownopercents;  
run;
- B. proc freq data=WORK.TESTDATA;  
tables answer \* gender / nocolnorownopercents;  
run;
- C. proc freq data=WORK.TESTDATA;  
tables gender \* answer / nocolnorownopercents missing;  
run;
- D. proc freq data=WORK.TESTDATA;  
tables answer \* gender / nocolnorownopercents missing;  
run;

**Answer: A**

## Question: 8

Given the following data set WORK.DEMO:

PTID	Sex	Age	Height	Weight
689574	M	15	80.0	115.5
423698	F	14	65.5	90.0
758964	F	12	60.3	87.0
493847	F	14	62.8	98.5
653347	M	14	63.5	102.5
500029	M	12	57.3	83.0
513842	F	12	59.8	84.5
515151	F	15	62.5	112.5
522396	M	13	62.5	84.0
534787	M	12	59.0	99.5
875642	F	11	51.3	50.5
879653	F	15	75.3	105.0
542369	F	12	56.3	77.0
698754	F	11	50.5	70.0
656423	M	16	72.0	150.0
785412	M	12	67.8	121.0
785698	M	16	72.0	110.0
763284	M	11	57.5	85.0
968743	M	14	60.5	85.0
457826	M	18	74.0	165.0

The following SAS program is submitted:

```
proc print data=WORK.DEMO(firstobs=5 obs=10);
where Sex='M';
run;
```

How many observations will be displayed?

Response:

- A. 4
- B. 6
- C. 7
- D. 8

**Answer: B**

## Question: 9

Which statement correctly adds a label to the data set?

Response:

- A. DATA two Label="Subjects having duplicate observations";
 set one;
 run;
- B. DATA two;

```

Label="Subjects having duplicate observations";
set one;
run;
C. DATA two;
set one;
Label dataset="Subjects having duplicate observations";
run;
D. DATA two(Label="Subjects having duplicate observations");
set one;
run;

```

**Answer: D**

## Question: 10

Given the following data set:

SUBJID	GENDER	AGE	TRT
4	M	63	3
4	M	63	1
5	F	72	4
1	F	45	1
3	M	57	2
2	F	39	1
3	M	57	2

The following output data set was produced:

SUBJID	GENDER	AGE	TRT
3	M	57	1
3	M	57	1
4	M	63	2
4	M	63	0
5	F	72	3

Which SAS program produced this output?

Response:

- A. proc sort data=one(where=(age>50)) out=two;
 bysubjid;
 run;
- B. proc sort data=one(if=(age>50)) out=two;
 bysubjid;
 run;
- C. proc sort data=one out=two;
 where=(age>50) ;
 bysubjid;
 run;
- D. proc sort data=one out=two;
 if age>50;
 bysubjid;

run;

**Answer: A**

# Thank You for Trying Our Product

For More Information – **Visit link below:**

**<https://www.examsboost.com/>**

15 USD Discount Coupon Code:

**G74JA8UF**

## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**

