Palo Alto Networks PCNSE

Palo Alto Networks Certified Security Engineer PAN-OS 11.0



For More Information - Visit link below:

https://www.examsboost.com/

Product Version

- ✓ Up to Date products, reliable and verified.
 - ✓ Questions and Answers in PDF Format.

Latest Version: 55.0

Question: 1

A network engineer has discovered that asymmetric routing is causing a Palo Alto Networks firewall to drop traffic. The network architecture cannot be changed to correct this.

Which two actions can be taken on the firewall to allow the dropped traffic permanently? (Choose two.)

A. Navigate to Network > Zone Protection Click Add

Select Packet Based Attack Protection > TCP/IP Drop Set "Reject Non-syn-TCP" to No Set "Asymmetric Path" to Bypass

B. > set session tcp-reject-non-syn no

C. Navigate to Network > Zone Protection Click Add

Select Packet Based Attack Protection > TCP/IP Drop Set "Reject Non-syn-TCP" to Global Set

"Asymmetric

Path" to Global

D. # set deviceconfig setting session tcp-reject-non-syn no

Answer: A, D

Explanation:

https://knowledgebase.paloaltonetworks.com/KCSArticleDetail?id=kA10g000000CIG2CAK

Question: 2

A firewall engineer reviews the PAN-OS GlobalProtect application and sees that it implicitly uses webbrowsing

and depends on SSL.

When creating a new rule, what is needed to allow the application to resolve dependencies?

- A. Add SSL and web-browsing applications to the same rule.
- B. Add web-browsing application to the same rule.
- C. Add SSL application to the same rule.
- D. SSL and web-browsing must both be explicitly allowed.

Answer: C

Explanation:

'Implicitly Uses' has web-browsing listed. This means that if you allow facebook-posting, that it will also be allowing the web-browsing application implicitly.. In our case, we dont know which APP the question referes too but 'Implicitly means already uses HTTP.

Question: 3

What are three tasks that cannot be configured from Panorama by using a template stack? (Choose three.)

- A. Change the firewall management IP address
- B. Configure a device block list
- C. Add administrator accounts
- D. Rename a vsys on a multi-vsys firewall
- E. Enable operational modes such as normal mode, multi-vsys mode, or FIPS-CC mode

Answer: B, D, E

Explanation:

https://docs.paloaltonetworks.com/panorama/11-0/panorama-admin/manage-firewalls/managetemplates-and-template-stacks/template-capabilities-and-exceptions

Question: 4

DRAG DROP


Match the terms to their corresponding definitions

Answer Area

management plane	provides configuration, logging, and reporting separate processor, RAM, and hard drive
	stream-based, uniform signature matching in exploits (IPS), virus, spyware, CC#, and SSN
security processing	high-density parallel processing for flexible standardized complex functions
network processing	network processing hardware- accelerated per-packet route lookup MAC lookup, and NAT

Answer:

Answer Area



Explanation:

https://www.paloaltonetworks.com/content/dam/pan/en_US/assets/pdf/datasheets/education/pcnses tudy-guide.pdf page 83

Question: 5

Given the following snippet of a WildFire submission log did the end-user get access to the requested information and why or why not?



- A. Yes, because the action is set to alert
- B. No, because this is an example from a defeated phishing attack
- C. No, because the severity is high and the verdict is malicious.
- D. Yes, because the action is set to allow.

Answer: D

Explanation:

https://live.paloal to networks.com/t5/general-topics/wild fire-submission-entries-with-severity-high showing-action/td-p/143516

Thank You for Trying Our Product

For More Information – Visit link below:

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

