Oracle 1Z0-900

Java EE 7 Application Developer



For More Information - Visit link below:

https://www.examsboost.com/

Product Version

- ✓ Up to Date products, reliable and verified.
 - ✓ Questions and Answers in PDF Format.

Latest Version: 11.0

Question: 1

You need to develop a chat application, which allows the display of emoticons and images together with text messages.

How should you configure a WebSocket endpoints to receive both text and binary messages?

- A. Create two @onMessage methods in the same endpoint with appropriate parameter types.
- B. Define the @onMessage methods in your endpoint with Object as parameter and check the actual type in your code.
- C. You can achieve this only by creating separate WebSocket endpoints for each message type.
- D. Create two @onMessage methods, each with appropriate decoder attribute in the same endpoint.

Answer: D

Question: 2

Which two capabilities are provided by the Java Authentication and Authorization Services (JAAS) API? (Choose two.)

- A. protecting data from unauthorized viewing by using encryption
- B. verifying that a user is allowed to perform an action
- C. ensuring that data is not modified in transit
- D. verifying identity claims from users

Answer: B,C

Question: 3

Which interface should you implement if you want to be alerted to the lifecycle events surrounding your task being executed by a ManagedExecutorService?

- A. the Runnable Interface
- B. the ManagedExecutorTask interface
- C. the TaskEventListener interface
- D. the ManagedTaskListener interface

Answer: D

Question: 4

Given the code fragment:

@Path ("Employees")

public class EmployeesResource (

@Inject privace EmployeeManager em;

@Get

@Path("{id:[A-Z] [0-9]+}")

public Employee getEmployee(@PathParam("id") String id) {

return em.findEmployee(id);

)

}

Which URL triggers the invocation of the getEmployee () method?

- A. <base url>/Employees/89724
- B. <base url>/Employees/J6349
- C. <base url>/Employees/id:a7280
- D. <base url>/Employees/id/J6349

Answer: B

Question: 5

What is true about Message-Driven Beans (MDBs)?

- A. MDBs can participate in transactions.
- B. MDBs are invoked synchronously.
- C. Each MDBs can process messages only from a single client.
- D. MDBs retain data caches between client calls.

Answer: A

Thank You for Trying Our Product

For More Information – Visit link below:

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

