

**Boost up Your Certification Score**

# **Splunk SPLK-1003**

**Splunk Enterprise Certified Admin Exam**



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**

## **Product Version**

- ✓ **Up to Date products, reliable and verified.**
- ✓ **Questions and Answers in PDF Format.**

# Latest Version: 23.1

## Question: 1

Which setting in indexes.conf allows data retention to be controlled by time?

- A. maxDaysToKeep
- B. moveToFrozenAfter
- C. maxDataRetentionTime
- D. frozenTimePeriodInSecs

**Answer: D**

Explanation:

<https://docs.splunk.com/Documentation/Splunk/latest/Indexer/Setaretirementandarchivingpolicy>

## Question: 2

The universal forwarder has which capabilities when sending data? (select all that apply)

- A. Sending alerts
- B. Compressing data
- C. Obfuscating/hiding data
- D. Indexer acknowledgement

**Answer: B, D**

Explanation:

<https://docs.splunk.com/Documentation/Splunk/8.0.1/Forwarding/Aboutforwardingandreceivingdata>

<https://docs.splunk.com/Documentation/Forwarder/8.1.1/Forwarder/Configureforwardingwithoutputs.conf#:~:text=compressed%3Dtrue%20This%20tells%20the,the%20forwarder%20sends%20raw%20data.>

## Question: 3

In case of a conflict between a whitelist and a blacklist input setting, which one is used?

- A. Blacklist
- B. Whitelist
- C. They cancel each other out.
- D. Whichever is entered into the configuration first.

**Answer: A**

Explanation:

<https://docs.splunk.com/Documentation/Splunk/8.0.4/Data/Whitelistorblacklistspecificincomin gdata>

"It is not necessary to define both an allow list and a deny list in a configuration stanza. The settings are independent. If you do define both filters and a file matches them both, Splunk Enterprise does not index that file, as the blacklist filter overrides the whitelist filter."

Source:<https://docs.splunk.com/Documentation/Splunk/8.1.0/Data/Whitelistorblacklistspecifici ncomingdata>

### Question: 4

In which Splunk configuration is the SEDCMD used?

- A. props.conf
- B. inputs.conf
- C. indexes.conf
- D. transforms.conf

**Answer: A**

Explanation:

<https://docs.splunk.com/Documentation/Splunk/8.0.5/Forwarding/Forwarddatatothird- partysystems d>

"You can specify a SEDCMD configuration in props.conf to address data that contains characters that the third-party server cannot process. "

### Question: 5

Which of the following are supported configuration methods to add inputs on a forwarder?  
(select all that apply)

- A. CLI
- B. Edit inputs.conf
- C. Edit forwarder.conf

#### D. Forwarder Management

**Answer: A, B, D**

Explanation:

<https://docs.splunk.com/Documentation/Forwarder/8.2.1/Forwarder/HowtoforwarddatatoSplunkEnterprise>

"You can collect data on the universal forwarder using several methods. Define inputs on the universal forwarder with the CLI. You can use the CLI to define inputs on the universal forwarder. After you define the inputs, the universal forwarder collects data based on those definitions as long as it has access to the data that you want to monitor. Define inputs on the universal forwarder with configuration files. If the input you want to configure does not have a CLI argument for it, you can configure inputs with configuration files. Create an inputs.conf file in the directory, \$SPLUNK\_HOME/etc/system/local

# Thank You for Trying Our Product

For More Information – **Visit link below:**

**<https://www.examsboost.com/>**

15 USD Discount Coupon Code:

**G74JA8UF**

## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at: <https://www.examsboost.com/test/splk-1003>