

**Boost up Your Certification Score**

# **Cisco**

## **300-835**

**Automating Cisco Collaboration Solutions (CLAUTO)**



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**

### **Product Version**

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

## Question: 1

What is a benefit of using Python virtual environments?

- A. It isolates dependencies of every project from the system and each other.
- B. It allows Python to differentiate between package versions.
- C. It frees the developer from installing the project dependencies.
- D. It puts dependent packages in a common site-packages directory.

**Answer: A**

## Question: 2

DRAG DROP

Drag and drop the botkit functions from the left onto the correct actions on the right.

**Answer Area**

hears()
ask()
say()
reply()

Adds a question to the thread and evaluate the answer.
Sends a message with no pause for response.
Replies to an incoming message.
Listens for keyword, phrases, or patterns in messages from users.

**Answer:**

## Answer Area

hears()	ask()
ask()	say()
say()	reply()
reply()	hears()

## Question: 3

Refer to the exhibit.

```
#!/usr/bin/env python
import os
import requests

token = os.environ.get('ACCESS_TOKEN')
url = "https://api.ciscospark.com/v1/messages"
roomId = "abcde12345"

mentionName = "  "

markdownTxt = mentionName + ", your registration is confirmed"

payload = { "roomId": roomId, "markdown": markdownTxt }

headers = {
    "Authorization": "Bearer " + token,
    "Content-type": "application/json"
}

response = requests.request("POST", url, data=payload, headers = headers)
```

Which code snippet is used to mention the bot CiscoDevNet@webex.bot?

- A. <@personEmail.CiscoDevNet@webex.bot>
- B. @CiscoDevNet@webex.bot
- C. @personEmail.CiscoDevNet@webex.bot
- D. (@personEmail.CiscoDevNet@webex.bot)

**Answer: B**

## Question: 4

### DRAG DROP

An administrator is creating a script using the Python xAPI over WebSockets (py xows) library. The goal of the script is to capture an event generated by a UI Extensions action button (former In-Room Control Panel).

When the action button is clicked, the script displays an alert that says that the button ID was clicked.

Drag and drop the code snippets into the locations to complete the script:

#### Answer Area

```
import xows
import asyncio

async def start(ip, usr, pw):
    async with xows.XowsClient(ip,username=usr, password=pw) as client:
        async def callback(data,id_):
            [REDACTED]
            [REDACTED]
            [REDACTED]
            await client.wait_until_closed()
async def task():
    [REDACTED]
    [REDACTED]
```

```
await client.xCommand(['UserInterface', 'Message', 'Alert', 'Display'], Title=panelId, Text= "Was clicked")
panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']
await start('10.10.10.1', 'admin', 'T357c45e')
await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)
asyncio.run(task())
```

**Answer:**

**Answer Area**

```
import xows
import asyncio

async def start(ip, usr, pw):
    async with xows.XoWSClient(ip,username=usr, password=pw) as client:
        async def callback(data,id_):
            panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']
            await client.xCommand(['UserInterface', 'Message', 'Alert', 'Display'], Title=panelId, Text= "Was clicked")
        await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)
        await client.wait_until_closed()
async def task():
    await start('10.10.10.1','admin','T357c45e')
asyncio.run(task())
```

```
await client.xCommand(['UserInterface', 'Message', 'Alert', 'Display'], Title=panelId, Text= "Was clicked")
panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']
await start('10.10.10.1','admin','T357c45e')
await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)
asyncio.run(task())
```

## Question: 5

**DRAG DROP**

Drag and drop the code to complete the curl command that creates a halfwake brand logo using the xAPI

HTTP API. Not all options are used. Code can be used more than one time.

### Answer Area

```
curl -X POST "http://192.168.1.32/ [REDACTED]" \
-H "Content-Type: text/xml" \
-H "Authorization: [REDACTED] cmVtb3Rlc3VwcG9ydDo2US82a0JDYnJ0DQo=" \
-d "<Command>
<UserInterface>
  < [REDACTED] >
    <Upload>
      <Type>HalfwakeBranding</Type>
      < [REDACTED] >iVBORw0KGgoAAAANSUhEUgAAARAAAAEQCAYAAA
B4CisVAAAAAXNSR0IArs4c6QAAACBjSFJNAB6JgAAgIQAAPoAAACA6AAAdTAAAOp
gAAA6mAAAF3Cc
u1E8
AAAACXB1WXMAABJ0AAASdAHeZh94AAABy21UWHRYTUw6Y29CC< [REDACTED] >
    </Upload>
  </ [REDACTED] >
<UserInterface>
</Command>"
```

body	Branding	getxml
Basic	putxml	Brand
Configuration	Digest	Bearer

**Answer:**

### Answer Area

```
curl -X POST "http://192.168.1.32/"  "
-H "Content-Type: text/xml"
-H "Authorization:  cmVtb3Rlc3VwcG9ydDo2US82a0JDYnJ0DQo="
-d "<Command>
<UserInterface>
  < >
    <Upload>
      <Type>HalfwakeBranding</Type>
      < >iVBORw0KGgoAAAANSUhEUgAAARAAAAEQCAYAAA
B4CisVAAAAAXNSR0IArs4c6QAAACBjSFJNAAAB6JgAAgIQAAPoAAACA6AAAdTAAAOp
gAAA6mAAAF3Cc
uE8
AAAACXB
IWXMAABJ0AAASdAHeZh94AAABy21UWHRYT
Uw6Y29CC</ >
    </Upload>
  </ >
<UserInterface>
</Command>"
```

<input type="text" value="body"/>	<input type="text" value="Branding"/>	<input type="text" value="getxml"/>
<input type="text" value="Basic"/>	<input type="text" value="putxml"/>	<input type="text" value="Brand"/>
<input type="text" value="Configuration"/>	<input type="text" value="Digest"/>	<input type="text" value="Bearer"/>

# Thank You for Trying Our Product

For More Information – **Visit link below:**

**<https://www.examsboost.com/>**

15 USD Discount Coupon Code:

**G74JA8UF**

## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**

