

Boost up Your Certification Score

Juniper

JN0-230

Security-Associate (JNCIA-SEC)



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Question: 1

You want to automatically generate the encryption and authentication keys during IPsec VPN establishment.

What would be used to accomplish this task?

- A. IPsec
- B. Diffie_Hellman
- C. Main mode
- D. Aggregate mode

Answer: B

Question: 2

BY default, revenue interface are placed into which system-defined security zone on an SRX series device?

- A. Trust
- B. Null
- C. Junos-trust
- D. untrust

Answer: D

Question: 3

On an SRX device, you want to regulate traffic base on network segments.

In this scenario, what do you configure to accomplish this task?

- A. Screens
- B. Zones
- C. ALGs
- D. NAT

Answer: B

Question: 4


Which two segments describes IPsec VPNs? (Choose two.)

- A. IPsec VPN traffic is always authenticated.
- B. IPsec VPN traffic is always encrypted.
- C. IPsec VPNs use security to secure traffic over a public network between two remote sites.
- D. IPsec VPNs are dedicated physical connections between two private networks.

Answer: AC

Question: 5

Click the exhibit button



You are configuring an IPsec VPN for the network shown in the exhibit. Which feature must be enabled on the VPN to establish successfully?

- A. Main mode must be configured on the IKE gateway
- B. Main mode must be configured on the IPsec VPN
- C. Aggressive mode must be configured on the IPsec VPN
- D. Aggressive mode must be configured on IKE gateway

Answer: D

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**

