

Boost up Your Certification Score

HP HPE0-S58

Implementing HPE ComposableInfrastructure Solutions



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Visit us at: <https://www.examsboost.com/test/hpe0-s58>

Question: 1

During an initial setup of a Synergy environment, an integrator needs to enable or disable authorized Service access.

What will be the outcome when the integrator disables this service?

- A. Authenticated administrators will be unable to make changes to the system
- B. Authorized users will be unable to generate a support dump
- C. Authenticated administrators will be unable to access the system
- D. Authorized support will be unable to diagnose the system

Answer: D

Reference:

https://support.hpe.com/hpsc/doc/public/display?docId=emr_na-c05098314 (62)

Question: 2

A customer has the following configuration:

Frame 1

- Bay 1 – HPE Synergy 12Gb SAS Connection Module
- Bay 2
- Bay 3 – HPE Virtual Connect SE 40 GB F8 Module
- Bay 4 – HPE Synergy 12GB SAS Connection Module
- Bay 5
- Bay 6 – HPE Synergy 10 Gb Interconnect Link Module

Frame 2

- Bay 1 – HPE Synergy 12Gb SAS Connection Module
- Bay 2
- Bay 3 – HPE Synergy 10Gb Interconnect Link Module
- Bay 4 – HPE Synergy 12Gb SAS Connection Module
- Bay 5
- Bay 6 – HPE Virtual Connect SE 40Gb F8 Module

How many more frames can the customer add to their Synergy composable fabric? (Note: Enter your answer in the answer field below.)

A. Frame 1 – Bay 2 – HPE Virtual Connect SE 100Gb F32 Module for Synergy (867796-B21)

Frame 1 – Bay 5 – HPE Virtual Connect SE 16Gb Fibre Channel Module for Synergy (779227-B21)

Frame 2 - Bay 2 – Brocade 16Gb/24 Power Pack+ Fibre Channel SAN Switch Module for HPE Synergy (K2Q86A)

Frame 2 – Bay 5 – HPE Synergy 4820C 10/20/25Gb Converged Network Adapter (876449-B21)

B. Frame 1 – Bay 2 – HPE Virtual Connect SE 100Gb F32 Module for Synergy

(867796-B21)

Frame 1 – Bay 5 – HPE Virtual Connect SE 16Gb Fibre Channel Module for Synergy (779227-B21)

Frame 2 – Bay 5 – HPE Synergy 4820C 10/20/25Gb Converged Network Adapter (876449-B21)

Answer: A

Question: 3

In a 3-frame HPE Synergy environment, how should an integrator place the image Streamer modules to allow for redundancy to all of the management connections?

- A. one Image Streamer module in frame 2, and a second Image Streamer Module in frame 3 (2 total)
- B. two Image Streamer modules in frame 2, and two Image Streamer modules in frame 3 (4 total)
- C. one Image Streamer module in each Synergy frame (3 total)
- D. two Image Streamer modules in frame 1 (2 total)

Answer: B

Reference:

https://www.karma-group.ru/upload/iblock/2be/synergy_image_streamer.pdf (page 7)

Question: 4

HOTSPOT

An integrator has installed a new Synergy frame into a rack with two existing Synergy frames in a customer's environment.

Click where the integrator should verify that the cabling for the management ring was completed correctly.

0000A66101

General >

State
Model
Logical enclosure

Utilization >

Power
Temperature

Hardware >

Location
Powered by
Serial number

View

Overview

General
Hardware
Firmware
Devices
Interconnects
Power Supplies
Fans
Composable Infrastructure Appliances
Link Modules
Power
Utilization
Interconnect Link Topology
Frame Link Topology
Remote Support

Actions ▾

View Devices Composable Infrastructure Appliances

Rear View Interconnects Fans Link Modules Power Supplies

Answer:

0000A66101

General >

State
Model
Logical enclosure

Utilization >

Power
Temperature

Hardware >

Location
Powered by
Serial number

View

Overview

General
Hardware
Firmware
Devices
Interconnects
Power Supplies
Fans
Composable Infrastructure Appliances
Link Modules
Power
Utilization
Interconnect Link Topology
Frame Link Topology
Remote Support

Actions ▾

View Devices Composable Infrastructure Appliances

Rear View Interconnects Fans Link Modules Power Supplies

Reference:

https://support.hpe.com/hpsc/doc/public/display?docId=a00048164en_us

Question: 5

Refer to the exhibit.

Interconnect Bay



Rear of HPE Synergy Frame

How should an integrator pair interconnect bays to set up redundant fabrics in an HPE Synergy 12000 Frame?

- A. Interconnect bays 1 and 2; bays 3 and 4; bays 5 and 6.
- B. Interconnect bays 1 and 6; bays 2 and 5; bays 3 and 4.
- C. Interconnect bays 1 and 4; bays 2 and 5; bays 3 and 6.
- D. Interconnect bays 1 and 3; bays 2 and 4; bays 5 and 6.

Answer: C

Reference:

<https://h20195.www2.hpe.com/v2/GetPDF.aspx/c04815113.pdf>

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at: <https://www.examsboost.com/test/hpe0-s58>