HP HPE6-A70

Aruba Certified Mobility Associate Exam



For More Information - Visit link below:

https://www.examsboost.com/

Product Version

- ✓ Up to Date products, reliable and verified.
 - ✓ Questions and Answers in PDF Format.

Latest Version: 10.2

Question: 1

Refer to the exhibit.
(MM) ^[mynode] #show airmatch solution

Seq	Time	Aps	[5GHz] Radi	os Cost	Confli	ct De	ploy [2GHz] Radios	Cost	Conflict	Deploy	Туре
#2 2	0161230 05:04:51	1		1	1.0) 0	0.0 N	0	1	4.0	0.0	No	Scheduled
#1 2	0161228_12:45:24	1		1	1.0) 0	0.0 Y	es	1	4.0	0.0	Yes	Incremental - Auto
	L61230_05:04:51 s			olutio	n cost	/improve	ement	: 4.0/1.0/1	.0/0.0%				
	dz capacity/net AGHz capacity/net					-							
	nd Radio	WOLK		Chan		EIRP (c		APName	.0,0.00				
	Hz 70:3a:0e:59:81	:30		157i	80.	EIKE (C	18.	EastAP					
2GI	Iz 70:3a:0e:59:81	:20	AP	li	20*		9.	EastAP					


[*] regarded frozen | [.] no change | [i] channel ignored because insufficient quality increase
An Aruba solution uses AirMatch with the default AirMatch profile settings. A network administrator
sees that a scheduled optimization was completed, but a plan was not deployed.
Based on the exhibit, why did this occur?

- A. The cost of the new plan exceeds the amount allowed by the feature license
- B. The new plan did not offer significantly improved quality
- C. The solution uses master-local mode
- D. ARM is disabled in the radio profile, so AP radios are considered frozen

Answer: B

Question: 2

Refer to the exhibit.



Network administrators need to set up a WLAN that uses WPA2 encryption and authenticates users with a preshared key (PSK) that is the same for all users. Administrators do not see where they should specify the option for the preshared key.

What should the administrators do?

- A. Click Personal in the slide bar.
- B. Click the + icon in the Authentication server section
- C. Return to the first page in the wizard and select the guest option
- D. Configure an L3 authentication profile after the WLAN wizard is complete

Answer: A

Question: 3

What is a reason for a company to choose to deploy an Aruba 7024 Mobility Controller (MC) rather than an Aruba 7010 MC?

- A. to support 802.11ac Aps rather than only 802.11n APs
- B. to support more wireless users
- C. to support more POE devices directly connected to the MC
- D. to support a faster firewall throughput rate

Answer: C

Question: 4

A company wants to provide wireless access for guests with their Aruba solution. Which configuration feature requires the customer to purchase PEFNG licenses?

- A. redirection of guests to an external captive portal
- B. provision of DHCP services to unauthenticated guests
- C. addition of custom rules to control access for authenticated guests
- D. customization of the internal captive portal login page

Answer: C

Question: 5

A company has an Aruba Mobility Master (MM)-based solution. A network administrator wants to collect and analyze information about clients and access points (APs) over extended periods of time. What should the administrator do to achieve this goal?

- A. Add Aruba AirWave to the solution.
- B. Run a Traffic Analysis report on the MM.
- C. Make sure that MM has sufficient AppRF licenses.
- D. Enable archival from the MM interface Maintenance windows.

Answer: A

Thank You for Trying Our Product

For More Information – Visit link below:

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

