UiPath

UiPath-ARDv1

UiPath Advanced RPA Developer v1.0 Exam (UiARD)

For More Information – Visit link below:

https://www.examsboost.com/

Product Version

✓ Up to Date products, reliable and verified.
✓ Questions and Answers in PDF Format.

Latest Version: 9.0

Question: 1

A developer plans to create a process to automate a web application. The web application requires HTML buttons and text boxes to be loaded. Although some assets may still be loading, the robot should perform the UI actions once the buttons and text boxes are loaded.
Which property should be configured?

A. TimeoutMS = 10000
B. WaitForReady = Complete
C. TimeoutMS = Int32.MaxValue
D. WaitForReady = Interactive

Answer: D

Explanation:
Reference: https://docs.uipath.com/activities/docs/ui-element-exists

Question: 2

A developer reviewed the following sequence:

DataSets

A+B **Assign – Initialize DataSet**

DataSet	=	New DataSet()

A+B **Assign – Initialize DataTable**

DataTable	=	New DataTable ("Te

// **Previous Assignment**

// DataTable = New DataTable("Test")

Invoke Method

TargerType	(null)
TargetObject	DataSet.Tables
MethodName	Add

The parameters of the Invoke Method are:

Parameters _ □ X

Direction	Type	Value
In	DataTable	DataTable
Create Argument		

OK   Cancel

Properties ▾ ⊞

System.Activities.Statements.InvokeMethod

⊟ Common

DisplayName	Invoke Method

⊟ Misc

GenericTypeArguments	(Collection) ...
MethodName	Add
Parameters	(Collection) ...
Private	☐
Result	Enter a VB expression ...
RunAsynchronously	☐
TargetObject	DataSet.Tables ...
TargetType	(null) ▾

In order to get the table name of the first element in the DataSet, which expressions should the developer use?

A. DataSet.Tables(0).TableName
B. DataSet.Tables(1).TableName
C. DataSet.Rows(0).TableName
D. DataSet.Rows(1).TableName

Answer: C

Question: 3

A developer was reviewing an Orchestration process whose "main" attribute is set to Main.xaml in project.json.
However, the process is not pausing as intended. What is a possible cause for this issue?

A. UI activities were not used in the process.
B. "Wait for Form Task and Resume" activity was called in Main.xaml.
C. Process created a task in the Orchestrator.
D. "Wait for Form Task and Resume" activity was called in GetApproval.xaml.

Answer: A

Question: 4

A developer needs to automate a process which involves capturing support ticket numbers from the email subject line. For example, the email subject line includes: "Action Required – XA/135" where "XA/135" is the ticket number. The robot should validate the pattern of the ticket number before proceeding.
Which expression exclusively matches the ticket number pattern from the subject line?

A.
RegEx		Value	Quantifiers		
Anything	ⓘ ▾	.	Any (0 or more) ▾	*	+ △ ▽ ×
Literal	ⓘ ▾	/	Exactly ▾	1	+ △ ▽ ×
Digit	ⓘ ▾	\d	Exactly ▾	3	+ △ ▽ ×

B.
RegEx		Value	Quantifiers		
One of	ⓘ ▾	[A-Z]\d	Any (0 or more) ▾	*	+ △ ▽ ×

C.
RegEx		Value	Quantifiers		
Digit	ⓘ ▾	\d	Exactly ▾	3	+ △ ▽ ×
Literal	ⓘ ▾	/	Exactly ▾	1	+ △ ▽ ×
Any word character	ⓘ ▾	\w	Exactly ▾	2	+ △ ▽ ×

D.
RegEx		Value	Quantifiers		
Any word character	ⓘ ▾	\w	Exactly ▾	2	+ △ ▽ ×
Literal	ⓘ ▾	/	Exactly ▾	1	+ △ ▽ ×
Digit	ⓘ ▾	\d	Exactly ▾	3	+ △ ▽ ×

A. Option A
B. Option B
C. Option C
D. Option D

Answer: B

Question: 5

A developer uses Workflow Analyzer with the default rules to check if a project follows best practices. In one of the workflows, the Properties of a Click activity is shown in the following exhibit.

Properties

UiPath.Core.Activities.Click

⊟ Common
ContinueOnError   Specifies to continue exec ■ ...
DelayAfter   3000   ...
DelayBefore   Delay time (in milliseconds) ...
Display Name   Click Calculator button

⊟ Input
ClickType   ▾ ClickType.CLICK_SINGLE   ...
MouseButton   ▾ MouseButton.BTN_LEFT   ...
⊞ Target   Target

⊟ Misc
Private   ☐

⊟ Options
AlterIfDisabled   If selected, the simulated ■ ...
⊞ CursorPosition   CursorPosition
KeyModifiers   KeyModifiers.None   ▾ ...
SendWindowMess... If selected, the click is exe ■ ...
SimulateClick   True   ☑ ...

Which warning will be shown in the Analyzer output for this activity?

A. Timeout values is not defined in activity Click Calculator button
B. Hardcoded delays used in activity Click Calculator button
C. Activity Click Calculator button has a default name
D. SendWindowMessages not checked in activity Click Calculator button

Answer: C

Thank You for Trying Our Product

For More Information – **Visit link below:**

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**