# GAQM CLSSBB-001

Certified Lean Six Sigma Black Belt (CLSSBB)



For More Information - Visit link below:

https://www.examsboost.com/

#### **Product Version**

- ✓ Up to Date products, reliable and verified.
  - ✓ Questions and Answers in PDF Format.

Question: 1	
A is used primarily to track the stability of the average value of a metric of interest.	
A. NP Chart B. Xbar-R Chart C. I-MR Chart D. C Chart	
	Answer: B
Question: 2	
For her injection molding project a Belt needed to track the persample set so she used a to display the data?	ercentage of defectives of a particular
A. Individual Chart B. C Chart C. Xbar Chart D. P Chart	
	Answer: D
Question: 3	
Which of these graphs demonstrates conditions which would process?	be sufficient to enable OCAP for the
A. Xbar Chart B. Time Series Chart C. Neither D. Both	
	Answer: A
Question: 4	

Control Charts were developed by Dr. Shewhart to track data over time. To detect Special Cause variation the Control Charts use which of these?

B. Outlier analysis methods C. Center Line and Control Limits	
D. None of the above	
	Answer: C
Question: 5	
Common and Cause Variation are the focus of	f Statistical Process Control.
A. Uncommon B. Ordinary C. Special D. Selective	
	Answer: C
Question: 6	
Special Cause Variation falls into which two categories?	
A. Natural & Unnatural B. Short Term & Long Term C. Assignable & Pattern D. Attribute & Discreet	
	Answer: C
Question: 7	
Range Charts are the technique used to determine if Special Ca subgroups of the	uses are occurring within the
A. Histograms B. SPC Charts C. NP Charts D. Pareto Charts	
	Answer: B

A. Data shift analysis

#### Question: 8

If the production is for higher volume and monitoring and the Mean and variability is to be monitored for four machines producing product and the characteristic to be monitored is Variable Data, which SPC Chart is best to be selected?

- A. Xbar-R Chart
- B. Individual-MR Chart
- C. NP Chart
- D. CUSUM Chart

**Answer: A** 

#### Question: 9

When a Belt Poka-Yoke's a defect out of the process entirely then she should track the activity with a robust SPC system on the characteristic of interest in the defect as an early warning system.

- A. True
- B. False

**Answer: B** 

#### Question: 10

Following the completion of a LSS project the Belt not only creates a Control Plan he also develops a \_\_\_\_\_\_ so those involved in the process know what to do when the critical metrics move out of spec.

- A. Response Plan
- B. Call List
- C. Chain-of-Command
- D. Defect Analysis Plan

**Answer: A** 

## **Thank You for Trying Our Product**

For More Information – Visit link below:

https://www.examsboost.com/

**15 USD Discount Coupon Code:** 

G74JA8UF

### **FEATURES**

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

