

**Boost up Your Certification Score**

# **Oracle**

## **1Z0-819**

### **Java SE 11 Developer**



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**

#### **Product Version**

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

# Latest Version: 9.0

## Question: 1

Given:

```
public class A {  
    private boolean checkValue(int val) {  
        return true;  
    }  
}
```

and

```
public class B extends A {  
    public int modifyVal(int val) {  
        if(checkValue(val)) {  
            return val;  
        } else {  
            return 0;  
        }  
    }  
    public static void Main(String[] args) {  
        B b = new B();  
        System.out.println(b.modifyVal(10));  
    }  
}
```


What is the result?

- A. nothing
- B. It fails to compile.
- C. 0
- D. A java.lang.IllegalArgumentException is thrown.
- E. 10

**Answer: B**

Explanation:

```
1* public class A {  
2*     private boolean checkValue(int val) {  
3*         return true;  
4*     }  
5* }  
6 and  
7* public class B extends A {  
8*     public int modifyVal(int val) {  
9*         if(checkValue(val)) {  
10*             return val;  
11*         } else {  
12*             return 0;  
13*         }  
14*     }  
15*     public static void Main(String[] args) {  
16*         B b = new B();  
17*         system.out.println(b.modfiyVal (10));  
18*     }  
19* }
```



### Result

CPU Time: sec(s), Memory: kilobyte(s)

```
/A.java:6: error: class, interface, or enum expected  
and  
|  
1 error
```

### Question: 2

Given:

```

public interface API {    //line 1
    public void checkValue(Object value)
        throws IllegalArgumentException; //line 2
    public boolean isValueANumber(Object val) {
        if(val instanceof Number) {
            return true;
        }else {
            try {
                Double.parseDouble(val.toString());
                return true;
            }catch (NumberFormatException ex) {
                return false;
            }
        }
    }
}

```

Which two changes need to be made to make this class compile? (Choose two.)

- A. Change Line 1 to an abstract class:public abstract class API {
- B. Change Line 2 access modifier to protected:protected void checkValue(Object value)throws IllegalArgumentException;
- C. Change Line 1 to a class:public class API {
- D. Change Line 1 to extend java.lang.AutoCloseable:public interface API extends AutoCloseable {
- E. Change Line 2 to an abstract method:public abstract void checkValue(Object value)throws IllegalArgumentException;

**Answer: C,E**

### Question: 3

Which two modules include APIs in the Java SE Specification? (Choose two.)

- A. java.logging
- B. java.desktop
- C. javafx
- D. jdk.httpserver
- E. jdk.jartool

**Answer: A,D**

Reference: <https://docs.oracle.com/javase/9/docs/api/overview-summary.html>

## Question: 4

Given:

```
public class Test{
    private int num = 1;
    private int div = 0;

    public void divide() {
        try {
            num = num / div;
            System.out.print("Exception");
        }
        catch(ArithmetricException ae) { num = 100; }
        catch(Exception e) { num = 200; }
        finally { num = 300; }
        System.out.print(num);
    }
    public static void main(String args[])
    {
        Test test = new Test();
        test.divide();
    }
}
```

What is the output?

- A. 300
- B. Exception
- C. 200
- D. 100

**Answer: A**

Explanation:

```
1+ public class Test{  
2     private int num = 1;  
3     private int div = 0;  
4  
5+     public void divide() {  
6+         try {  
7             num = num / div;  
8             System.out.print("Exception");  
9         }  
10        catch(ArithmaticException ae) { num = 100; }  
11        catch(Exception e) { num = 200; }  
12        finally { num = 300; }  
13        System.out.print(num);  
14    }  
15    public static void main(String args[])  
16    {  
17        Test test = new Test();  
18        test.divide();  
19    }  
20}
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4

CommandLine Arguments

Result

CPU Time: 0.15 sec(s), Memory: 32484 kilobyte(s)

300

## Question: 5

Which two statements are true about the modular JDK? (Choose two.)

- A. The foundational APIs of the Java SE Platform are found in the `java.base` module.
- B. An application must be structured as modules in order to run on the modular JDK.
- C. It is possible but undesirable to configure modules' exports from the command line.
- D. APIs are deprecated more aggressively because the JDK has been modularized.

**Answer: A, C**



# Thank You for Trying Our Product

For More Information – **Visit link below:**

**<https://www.examsboost.com/>**

15 USD Discount Coupon Code:

**G74JA8UF**

## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**

