

**Boost up Your Certification Score**

# NetApp

## NS0-173

**Cisco and NetApp FlexPod Design Specialist**



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**

### Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

## Question: 1

Your customer has a FlexPod configuration with a 4-node NetApp AFF A300 storage cluster that uses only NSE drives.

Which two solutions allow the customer to expand the current storage system? (Choose two.)

- A. a two-node AFF A200 with a 3.8 TB NSE SSD
- B. a DS224C with twenty-four 3.8 TB SSDs
- C. a DS4246 with twenty-four 6 TB NL-SAS HDDs
- D. a two-node FAS8200 with a 4 TB NL-SAS HDD

**Answer: BD**

## Question: 2

A customer wants to deploy a FlexPod solution that involves directly connecting the NetApp AFF storage using the FCoE protocol to the Cisco UCS Fabric Interconnects.

In this scenario, which Cisco UCS Fibre Channel mode would be used to accomplish this task?

- A. trunk mode
- B. end host mode
- C. switching mode
- D. access mode

**Answer: C**

Reference: <https://www.netapp.com/media/16411-nva-0025-deploy.pdf>

## Question: 3

The storage administrator must change the vHBA settings bound to a template associated with a production server.

What happens when the settings are reconfigured in this scenario?

- A. The vHBA configuration change does not affect LUN access.
- B. The server that is associated with the service profile reboots.
- C. The service profile template that is associated with the server is initialized.
- D. The vHBA template is deleted from UCS Manager.

**Answer: C**

## Question: 4

A customer has installed FlexPod and verified that all wiring connections are correct. However, the customer cannot see any FC LUNs from the NetApp AFF systems.

In this scenario, which three configuration elements should the customer verify? (Choose three.)

- A. FC zoning
- B. igrup configuration
- C. ALUA settings
- D. FC portsets
- E. MTU configuration

**Answer: BDE**

## Question: 5

You are a data center architect at a service provider. You need to configure a new multi-tenant FlexPod service offering.

Which three UCS Manager features will you need to accomplish this task? (Choose three.)

- A. auto discovery
- B. role-based access control
- C. service profiles
- D. virtualization support
- E. policies

**Answer: BCE**

# Thank You for Trying Our Product

For More Information – **Visit link below:**

**<https://www.examsboost.com/>**

15 USD Discount Coupon Code:

**G74JA8UF**

## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**

