

**Boost up Your Certification Score**

# **Juniper**

## **JN0-412**

### **Cloud, Specialist (JNCIS-Cloud)**



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**


#### **Product Version**

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

# Latest Version: 6.0

## Question: 1

Click the Exhibit button.



The exhibit displays a Contrail analyzer virtual machine's console. Which two statements are true in this scenario? (Choose two.)

- A. The ping traffic is initiated by a virtual machine with an IP address of 20.0.0.3.
- B. The ping traffic is initiated by a virtual machine with an IP address of 20.0.0.4.
- C. The Contrail analyzer virtual machine's IP address is 10.85.29.11.
- D. The Contrail analyzer virtual machine's IP address is 20.0.0.4.

**Answer: AC**

## Question: 2

You decide to create only host routes for each of your virtual networks in a project. Each virtual network is sent its correct host prefix. When troubleshooting inter-VN connectivity, using the ping command, the response times out between two virtual networks even though your policies allow for it.

What is the problem in this scenario?

- A. The VMs do not have interfaces.
- B. Using host routes prevents the default route from being sent.
- C. Your VMs have incorrect DNS settings.
- D. The IPAM settings are incorrect.

**Answer: C**

## Question: 3

Which command displays routes in vRouter VRF?

- A. rt
- B. show route
- C. show route table vrf-name
- D. route print

**Answer: A**

Reference:

[https://www.juniper.net/documentation/en\\_US/contrail2.21/topics/task/configuration/vrouter-utilities-vnc.html](https://www.juniper.net/documentation/en_US/contrail2.21/topics/task/configuration/vrouter-utilities-vnc.html)

## Question: 4

What are two networking components of OpenStack? (Choose two.)

- A. Neutron
- B. Nova
- C. Ironic
- D. Barbican

**Answer: AB**

Reference: <https://docs.openstack.org/newton/networking-guide/intro.html>

## Question: 5

What are two characteristics of containers used in Contrail? (Choose two.)

- A. Each container has the configuration for all applications running in that container.
- B. Each pod can contain only one container.
- C. Each container has the configuration for all applications running in all containers.
- D. Each pod can contain several containers.

**Answer: AB**

Reference: [https://www.juniper.net/documentation/en\\_US/contrail19/topics/concept/summary-of-container-design.html](https://www.juniper.net/documentation/en_US/contrail19/topics/concept/summary-of-container-design.html)

# Thank You for Trying Our Product

For More Information – **Visit link below:**

**<https://www.examsboost.com/>**

15 USD Discount Coupon Code:

**G74JA8UF**

## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**

