


**Boost up Your Certification Score**

# **OMG** **OMG-OCUP2-FOUND100**

**OMG Certified UML Professional 2 (OCUP 2) - Foundation  
Level**



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**

## **Product Version**

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

# Latest Version: 7.0

## Question: 1

Zev works as the librarian at the local library. He can also borrow books as an ordinary library patron. How many actors are needed when modeling people like Zev in a use case diagram?

Response:

- A. 1 actor
- B. 2 unconnected actors
- C. 1 actor and 1 external system
- D. 2 actors connected by a generalization

**Answer: B**

## Question: 2

What symbol is used to indicate that substates have been elided?



**a**

**b**

**c**

**d**

**e**

Response:

- A. a
- B. b
- C. c
- D. d
- E. e

**Answer: A**

## Question: 3

Consider as your system boundary a major consumer-oriented bank at the system level. What choice below has only legitimate Actors yet is most complete?

Response:

- A. Depositor
- B. Depositor, Borrower
- C. Depositor, Borrower, Teller
- D. Depositor, Borrower, Teller, Manager

**Answer: B**

## Question: 4

What constraint applies to a stop in a UML interaction diagram?

Response:

- A. Only one stop may occur in one interaction.
- B. No other event occurrences may appear below a stop on a given lifeline in a simple interaction.
- C. If there is a stop on one lifeline, there should be stops on all other lifelines within an interaction.
- D. If one lifeline has a stop in one interaction, it should have stops in every interaction that it appears.

**Answer: B**

## Question: 5

The heading on a diagram is stored in what shape?

Response:

- A. A regular pentagon
- B. An irregular rectangle
- C. An irregular pentagon
- D. A tab

**Answer: C**

## Question: 6

What is the XMI in the UML specification used for?

Response:

- A. The textual surface syntax
- B. The constraints embedded in the model
- C. To express models for interchange purposes
- D. The ITU format to express models

**Answer: C**

## Question: 7

What can be captured by use cases?

(Choose two)

Response:

- A. requirements of the system
- B. behaviors offered by the system
- C. data and control flow of the system
- D. changes in state over time of the system
- E. user-interface specification of the system

**Answer: A,B**

## Question: 8

If you wish to prevent the userID parameter in the hailCar operation from being changed, what would be the safest approach?


Response:

- A. hailCar(userID, ...)
- B. hailCar(~userID, ...)
- C. hailCar(inoutuserID, ...)
- D. hailCar(userID {readOnly}, ...)

**Answer: A**

## Question: 9

In the diagram fragment below, how would elements in P1 (such as X or Y) refer to W from P2?



Response:

- A. W
- B. P2.W
- C. P2..W
- D. P2: W
- E. P2::W

**Answer: A**

## Question: 10

What is the UML relationship between both myCar and yourCar and the class Car?

Response:

- A. They are generalizations of the class Car.
- B. They are models of the class Car.
- C. They are examples of the class Car.
- D. They are specializations of the class Car.
- E. They are instances of the class Car.

**Answer: E**

# Thank You for Trying Our Product

For More Information – **Visit link below:**

**<https://www.examsboost.com/>**

15 USD Discount Coupon Code:

**G74JA8UF**

## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**

