

Boost up Your Certification Score

Huawei

H35-561

HCNP - LTE RNP & RNO



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Visit us at: <https://www.examsboost.com/test/h35-561>

Latest Version: 6.0

Question: 1

Which of the following events can be used to trigger inter-frequency switching? (multiple choice)

- A. A2
- B. A3
- C. A4
- D. A5

Answer: B, C, D

Question: 2

How many types of TDD uplink and downlink subframe configurations are there?

- A. 3
- B. 5
- C. 7
- D. 9

Answer: C

Question: 3

When X2 handover cannot be performed between eNodeBs, S1 handover is performed.

- A. True
- B. False

Answer: A

Question: 4

How many configurations are there for R8 TDD special subframe configuration?

- A. 3

- B. 5
- C. 7
- D. 9

Answer: D

Question: 5

In which of the following messages will the tracking area information be sent to the MME for consistency check?

- A. S1AP: E-RAB setup request
- B. RRC: RRC connection request
- C. S1AP: Initil context setup request
- D. S1AP: S1 setup request

Answer: D

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at: <https://www.examsboost.com/test/h35-561>