IBM C1000-107

IBM Netcool Operations Insight v1.6.1 Administration



For More Information - Visit link below:

https://www.examsboost.com/

Product Version

- ✓ Up to Date products, reliable and verified.
 - ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

In a hybrid model, OAuth authentication between an on-premises NOI environment and a cloud native NOI environment must be configured. What tool is used to configure OAuth authentication? Response:

- A. Generic Receiver API
- B. IBM Tivoli Netcool/OMNIbus Gateway Toolkit
- C. Netcool Hybrid Deployment Option Integration Kit
- D. Javacore Insight Pack, with the pkg mgmt utility

Answer: C

Question: 2

Which two files can be updated to enable additional traces for LDAP authentication in Netcool Impact? Response:

- A. server.xml
- B. server.props
- C. NCI_server.props
- D. NCI wsadmin.props
- E. bootstrap.properties

Answer: A,E

Question: 3

When configuring the Web GUI, what elements are crucial to ensure it provides actionable intelligence efficiently?

(Select two)

Response:

- A. Real-time data updates
- B. Visually pleasing color palettes
- C. Intuitive layout and user experience
- D. Background images of the company logo

Answer: A,C

Question: 4

Where should the Device Counter Extension from OMNIbus be installed in order to compare entitlement?

Response:

- A. Collection level ObjectServers only
- B. Aggregation level ObjectServers only
- C. Both Display and Aggregation level ObjectServers
- D. Both Collection and Aggregation level ObjectServers

Answer: D

Question: 5

Which command will check that the OMNIbus server has the correct installation and system requirements?

Response:

- A. prereq_checker NCI detail
- B. prereq checker.sh NCO detail
- C. prereq checker.sh NOI detail
- D. prereq_checker.sh NOC detail

Answer: D

Question: 6

What action must be taken to change the default behavior for logging and tracing in Impact? Response:

- A. Edit the Impact server.props file
- B. Edit the values in the PolicyLogger service
- C. Edit the default settings in the init files for both the Impact server and the GUI server
- D. Edit the default values in the log4j property files for both the Impact server and the GUI server

Answer: D

Question: 7

To allow an on-premise WebSphere Application Server to import the certificates from the cloud-native NOI components, what must it be configured to use? Response:

- A. OAuth 1
- B. OAuth 2
- C. SSL TLSv2
- D. SSL_TLSv1

Answer: C

Question: 8

What is the primary purpose of planning for NOI core components? Response:

- A. To allocate budget effectively
- B. To ensure compatibility with existing infrastructure
- C. To identify the necessary components for implementation
- D. To streamline the installation process

Answer: C

Question: 9

What statement below about ClientStatus events is true? Response:

- A. The informational event that is generated reports how much ObjectServer time is consumed
- B. The trigger that generates the ClientStatus events is activated every 90 seconds by default
- C. It shows how much ObjectServer time is consumed by external client interaction and the granularity period
- D. It shows how much ObjectServer time is consumed by external client interaction and the availability period

Answer: C

Question: 10

In which situation would a Firewall Bridge Server with NOI be used? Response:

- A. To connect to an Azure Cloud and receive firewall events
- B. In a secure environment in which the ObjectServer and probes are separated by a firewall
- C. In environments that require "AuthUserName" and "AuthPassword" properties to be provided
- D. Where a large number of probes are forwarding alert information directly to the ObjectServer

Answer: B

Thank You for Trying Our Product

For More Information – Visit link below:

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

