

Boost up Your Certification Score

Dell EMC D-PST-OE-23

Dell PowerStore Operate 2023 Exam



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Visit us at: <https://www.examsboost.com/test/d-pst-oe-23>

Latest Version: 6.0

Question: 1

What describes Dell PowerStore X front-end cabling?

- A. Uses internal VMware virtual switching and does not require a management network
- B. Storage and management use the same LACP bonded cable connection
- C. Uses VLTi data switch interconnectivity to support vMotion networks
- D. Management and discovery use the same cables and connections as storage

Answer: D

Explanation:

"For PowerStore T model appliances, the individual ports within the system bond could be running in active/active mode or active/passive mode. This state depends on whether Link Aggregation Control Protocol (LACP) has been configured on the network switches. To ensure best resiliency and network performance, it is recommended to enable LACP on the network. For more information about configuring LACP for a PowerStore T model appliance, see the document PowerStore Guide for PowerStore T Models on the PowerStore Info Hub. For PowerStore X model appliances, there is no system bond and no LACP configuration is needed because the link aggregation and failover is handled by the virtual switches within the VMware hypervisor. "

Question: 2

Through which network do external hosts connect to the cluster for data access?

- A. Management
- B. ICM
- C. ICD
- D. Storage

Answer: D

Explanation:

https://topics-cdn.dell.com/pdf/pwrstr-hcg_en-us.pdf

Question: 3

A Storage Administrator is adding an appliance into an existing Dell PowerStore T cluster. What is different about the management network configuration for the new appliance compared to

configuring an initial appliance for the cluster?

- A. All the needed management IP addresses for the new appliance must be pre-configured on the cluster
- B. Additional appliance does not require a cluster management IP address
- C. Additional appliance inherits all its management IPs from the existing appliance
- D. All the needed management IP addresses for the new appliance are auto-generated by the cluster

Answer: A

Explanation:

Each appliance must have Management and Storage networks configured. Management networks connect the cluster to management services such as DNS, NTP, and vCenter. The management network also enables external clients to access the cluster. The Storage network connects the cluster to an existing storage network or establishes a new network within the cluster. It also enables external clients to access the storage in the cluster. Both the Management and Storage networks require at least three IP addresses

Question: 4

What describes the power requirements for Dell PowerStore?

- A. Lower model numbered systems require less AC line current than higher model numbered systems
- B. T models require less total power than X models
- C. X models require less total power than T models
- D. Lower model numbered systems require less input voltage (VAC) than higher model numbered systems

Answer: A

Explanation:

Maximum input power 240 VAC \pm 10%, single phase For 100-120V, a customer-supplied step-up transformer is required AC Line Current (operating maximum at 200 VAC) 8.1 A 8.1 A 9.0 A 9.0 A 9.3 A 10.4 A <https://www.dell.com/support/manuals/en-us/powerstore-5000/pwrstr-plang/powerrequirements-for-powerstore-x-model-and-powerstore-t-model?guid=guid-21e142df-e22c-4bbc-8978-7c6124753654&lang=en-us>

for-powerstore-x-model-and-powerstore-t-model?guid=guid-21e142df-e22c-4bbc-8978-7c6124753654&lang=en-us

Reference: [https://www.dell.com/support/manuals/pk/en/pkbsd1/powerstore/pwrstr-plang/powerrequirements?](https://www.dell.com/support/manuals/pk/en/pkbsd1/powerstore/pwrstr-plang/powerrequirements?guid=guid-21e142df-e22c-4bbc-8978-7c6124753654&lang=en-us)

[guid=guid-21e142df-e22c-4bbc-8978-7c6124753654&lang=en-us](https://www.dell.com/support/manuals/pk/en/pkbsd1/powerstore/pwrstr-plang/powerrequirements?guid=guid-21e142df-e22c-4bbc-8978-7c6124753654&lang=en-us)

Question: 5

What is the last step when adding a drive to a Dell PowerStore system?

- A. Verify the new drive is seen
- B. Add the drive to the pool
- C. Backup the keystore
- D. Zero the drive

Answer: C

Explanation:

Reference: <https://www.dell.com/support/manuals/pk/en/pkbsd1/powerstore-9000t/pwrstr-isg/installa-25-drive?guid=guid-bddae51e-a561-4e84-bc0a-c2e99a43f033&lang=en-us>

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at: <https://www.examsboost.com/test/d-pst-oe-23>