Oracle 1Z0-106

Oracle Linux 8 Advanced System Administration



For More Information - Visit link below:

https://www.examsboost.com/

Product Version

- ✓ Up to Date products, reliable and verified.
 - ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

Which two statements are true about the GRUB 2 bootloader?

- A. Its configuration can be changed by editing /etc/default/grub2 and executing grub2-mkconfig to regenerate grub2.cfg.
- B. It can load many free operating systems directly and chain-load proprietary operating systems.
- C. Its configuration file is /boot/grub2/grub2.conf on BIOS-based systems.
- D. It understands file systems and kernel executable formats, allowing the loading of operating systems without recording the on-disk physical location of the kernel.

Answer: B, D

Question: 2

Which mdadm command creates a RAID-1 device consisting of two block volumes and one spare device?

- A. mdadm –create /dev/md0 –level=5 –raid-devices=2 /dev/xvdd1 /dev/xvdd2 –spare-devices=1 /dev/xvdd3
- B. mdadm -create /dev/md0 -level=1 -raid-devices=2 /dev/xvdd1 /dev/xvdd2
- C. mdadm –create /dev/md0 –level=1 –raid-devices=2 /dev/xvdd1 /dev/xvdd2 –spare-devices=1 /dev/xvdd3
- D. mdadm –create /dev/md0 –level=0 –raid-devices=2 /dev/xvdd1 /dev/xvdd2 –spare-devices=1 /dev/xvdd3

Answer: C

Question: 3

Which two statements are true about naming network interfaces?

- A. Consistent device naming is enabled by default.
- B. The udev device manager generates device names based on a series of schemes.
- C. The udev device manager uses a random number if all other schemes fail.
- D. Device names cannot be manually configured.
- E. Device names incorporate the physical location and hot plug slot index number.

Answer: A, B

Question: 4

Which two default user account settings are contained in /etc/login.defs?

- A. Decryption method used to decrypt passwords.
- B. User hashed passwords.
- C. Group hashed passwords.
- D. Password aging controls.
- E. Encryption method used to encrypt passwords.

Answer: D, E

Question: 5

Examine these commands, which execute successfully:

firewall-cmd --zone=public --add-service=cockpit --permanent

firewall-cmd --zone=public --add-port=1313/tcp --permanent

firewall-cmd --reload

Which are true upon execution?

- A. The Cockpit service is added only to the public zone.
- B. Egress traffic is allowed for the Cockpit service only when using port 1313.
- C. Runtime firewall configuration is not lost when the firewalld process is restarted or the system is rebooted.
- D. Port 1313 blocks all traffic for the public zone except for ingress traffic to the Cockpit service.
- E. The custom Cockpit service configuration file is updated in /usr/lib/firewalld/services.

Answer: A, C

Thank You for Trying Our Product

For More Information – Visit link below:

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

