Construction and Industry **EEI-SASS**

EEI Support and Administrative Selection System Exam



For More Information - Visit link below:

https://www.examsboost.com/

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1	
The high-profile catastrophes had another consestricter safety standards, which require greater outlays during of	
A. catastrofies B. catastrophies C. catastrofes D. catastrophes	
D. Catastrophies	
	Answer: D
Explanation: Catastrophes is the correct spelling. Question: 2	
Some estimate that the cost of building and maintain quadrupled because of increased regulation.	ning a nuclear power plant has more than
A. analists B. anylists C. analysts D. anylysts	
	Answer: C
Explanation: Analysts is the correct spelling.	
Question: 3	
At the same time, the United States government has been industry, so utility companies have had to the costs of for nuclear power plants has been the shorter-than- expected the heyday of nuclear plant construction, it was believed that but, in practice, they have only lasted an average of seventeen.	f new plants alone. A final driver of costs lifespan of the plants that already exist. In these plants would last about forty years,
A. bare B. bear C. bar	

D. beare **Answer: B** Explanation: Bear is the correct spelling and word choice here. Bear in this context means "to hold up, or support." **Question: 4** The scientists who oversaw the construction of the first plants did not know that steady bombardment by neutrons would _____ the reactor vessel, a process known as embrittlement, or that corrosive chemicals would gradually degrade the pipes used for generating steam. A. weak B. weakened C. weakens D. weaken **Answer: D** Explanation: Weaken is the correct word to use in this context. **Question: 5** No matter the cause, when plants operate for less than half of _____anticipated lives, the power they produce becomes much more expensive. Shutting these plants down can be quite expensive, as well. A. there B. they/ re C. their D. theryre **Answer: C** Explanation: There, their, and they're often get confused and used wrongly. In this sentence, the possessive there is

needed preceding "anticipated lives".

Question: 6

This process, _____ as decommissioning, can run into the hundreds of millions of dollars and is often much more than the cost of building the plant in the first place. In some cases, the facilities can be

as owners struggle to cover the costs of properly disposing of r	·
A. known B. know C. knows D. knowing	
	Answer: A
Explanation: Known is the correct conjugation of the word know for this ser	itence.
Question: 7	
Materials may be classified as or conductors, depend passage of charges. An insulator may have a charge generate distributed throughout the rest of the object. Amber and rubbe	ed in one area, without the charge being
A. insulaters B. insolaters C. insulators	
D. insolators	
D. insolators	Answer: C
D. insolators Explanation: Insulators is the correct spelling.	Answer: C
Explanation:	Answer: C
Explanation: Insulators is the correct spelling.	e can move freely. Almost all only used as conductors in industry are
Explanation: Insulators is the correct spelling. Question: 8 A conductor, meanwhile, is a material through which a charge metals are excellent conductors: of the metals most comm	e can move freely. Almost all only used as conductors in industry are
Explanation: Insulators is the correct spelling. Question: 8 A conductor, meanwhile, is a material through which a charge metals are excellent conductors: of the metals most comm copper and aluminum. Some gases, such as ionized plasma, are A. quiet B. quite C. quit	e can move freely. Almost all only used as conductors in industry are

Thank You for Trying Our Product

For More Information – Visit link below:

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

