Construction and Industry ASQ-CQE

Certified Quality Engineer Exam



For More Information - Visit link below:

https://www.examsboost.com/

Product Version

- ✓ Up to Date products, reliable and verified.
 - ✓ Questions and Answers in PDF Format.

Latest Version: 7.0

Question: 1

A normal (Gaussian) distribution curve is

- A. Bell shaped.
- B. Dome shaped.
- C. Pear shaped.
- D. Positively skewed.

Answer: A

Question: 2

Which of the following actions or techniques is MOST useful in determining the original fundamental cause of a product or process nonconformance?

- A. Continuous improvement.
- B. Pareto analysis.
- C. Root cause analysis.
- D. Preventive action.

Answer: C

Question: 3

What order do the following corrective action steps normally take for nonconforming product?

- I. Analyze the problem.
- II. Assign responsibility.
- III. Take preventive action.
- IV. Evaluate potential importance.
- V. Investigate possible causes.

A. I, II, V, IV, III

B. II, IV, V, I, III C. V, II, IV, I, III D. II, I, IV, V, III

Answer: B

Question: 4

Of the problem solving categories below, what is the usual sequence?

- 1. Select a problem needing improvement.
- 2. Collect data.
- 3. Implement the solution.
- 4. Determine if project is appropriate.
- 5. Study current procedures.
- 6. Determine candidates for data collection.
- 7. Analyze data.
- 8. Solve the problem.

A. 1, 4, 5, 6, 3, 8, 2, 7

B. 1, 5, 4, 6, 2, 7, 8, 3

C. 1, 5, 6, 2, 4, 8, 7, 3

D. 4, 1, 5, 6, 2, 7, 8, 3

Answer: B

Question: 5

The descriptive name for a fishbone or Ishikawa diagram is which of the following?

- A. Flow charts.
- B. Cause and effect diagrams.
- C. Pareto diagram.
- D. Scatter diagram.

Answer: B

Question: 6

What is the standard deviation of the values below? 4.5, 5.1, 6.2, 2.1, 3.9

A. 1.136

B. 2.087

C. 1.362

D. 1.522

Answer: C

Question: 7

Regardless of the distribution of the individuals, the distribution of the average of n samples will follow which distribution as n becomes large?

- A. Normal
- B. Poisson.
- C. Exponential.
- D. Lognormal.

Answer: A

Question: 8

A box contains 27 black and 3 red balls. A random sample of 5 balls is drawn without replacement. What is the probability that the sample contains one red ball?

A. 0.108

B. 0.270

C. 0.369

D. 0.500

Answer: C

Question: 9

Which of the following distributions have the set of all real numbers as their domain?

- A. Lognormal
- B. Exponential
- C. Weibull
- D. None of the above.

Answer: D

Question: 10

Determine the coefficient of variation for the last 500 pilot plant test runs of high temperature film having a mean of 900 Kelvin with a standard deviation of 54.

- A. 6%
- B. 16.7%
- C. 6%
- D. 31%

Answer: A

Thank You for Trying Our Product

For More Information – Visit link below:

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

