# Linux Foundation KCSA

Linux Foundation Kubernetes and Cloud Native Security Associate



For More Information - Visit link below:

https://www.examsboost.com/

**Product Version** 

- ✓ Up to Date products, reliable and verified.
  - ✓ Questions and Answers in PDF Format.

### **Latest Version: 6.0**

#### Question: 1

Which standard approach to security is augmented by the 4C's of Cloud Native security?

- A. Zero Trust
- B. Least Privilege
- C. Defense-in-Depth
- D. Secure-by-Design

**Answer: C** 

#### Question: 2

In a Kubernetes cluster, what are the security risks associated with using ConfigMaps for storing secrets?

- A. Storing secrets in ConfigMaps does not allow for fine-grained access control via RBAC.
- B. Storing secrets in ConfigMaps can expose sensitive information as they are stored in plaintext and can be accessed by unauthorized users.
- C. Using ConfigMaps for storing secrets might make applications incompatible with the Kubernetes cluster.
- D. ConfigMaps store sensitive information in etcd encoded in base64 format automatically, which does not ensure confidentiality of data.

Answer: B, D

#### **Question: 3**

What is the difference between gVisor and Firecracker?

A. gVisor is a user-space kernel that provides isolation and security for containers. At the same time, Firecracker is a lightweight virtualization technology for creating and managing secure, multi-tenant container and function-as-a-service (FaaS) workloads.

- B. gVisor is a lightweight virtualization technology for creating and managing secure, multi-tenant container and function-as-a-service (FaaS) workloads. At the same time, Firecracker is a user-space kernel that provides isolation and security for containers.
- C. gVisor and Firecracker are both container runtimes that can be used interchangeably.
- D. gVisor and Firecracker are two names for the same technology, which provides isolation and security for containers.

**Answer: A** 

#### Question: 4

You want to minimize security issues in running Kubernetes Pods. Which of the following actions can help achieve this goal?

- A. Sharing sensitive data among Pods in the same cluster to improve collaboration.
- B. Running Pods with elevated privileges to maximize their capabilities.
- C. Implement Pod Security standards in the Pod's YAML configuration.
- D. Deploying Pods with randomly generated names to obfuscate their identities.

**Answer: C** 

## Question: 5

What was the name of the precursor to Pod Security Standards?

- A. Container Runtime Security
- **B.** Kubernetes Security Context
- C. Container Security Standards
- D. Pod Security Policy

**Answer: D** 

# **Thank You for Trying Our Product**

For More Information – Visit link below:

https://www.examsboost.com/

**15 USD Discount Coupon Code:** 

G74JA8UF

# **FEATURES**

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer



Visit us at: https://www.examsboost.com/test/kcsa