

Dell EMC

D-VPX-DY-A-24

Dell Technologies VPLEX Deploy



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

Where is the wwn-seed physically located on VS2 engines?

Response:

- A. On the front of the director bezel cover
- B. On the front of the management server
- C. On the front of the director
- D. On the back of the engine on the bottom of the chassis

Answer: D

Question: 2

Which data mobility operation leaves the storage volume unclaimed?

Response:

- A. Remove
- B. Commit
- C. Start
- D. Clean

Answer: D

Question: 3

What steps must be performed to encapsulate LUNs into virtual volumes?

Response:

- A. 1. Claim native array LUN with data into VPLEX
- 2. Create extent, create a device on the extent
- 3. Create a virtual volume
- 4. Present virtual volume to the host
- B. 1. Present a Virtual volume to the host
- 2. Create device
- 3. Create extent on the device
- 4. Execute storage claim wizard
- C. 1. Create a new virtual volume
- 2. Mirror the virtual volume to native volume with data

- 3. Create device and create extent
- 4. Present virtual volume to host
- D. 1. Discover new storage
- 2. Create extent
- 3. Create device
- 4. Create virtual volume

Answer: A

Question: 4

When creating logging and metadata volumes, which LUN requirement applies to both volumes?
Response:

- A. Array LUNs must be zeroed-out.
- B. Array LUNs must be RAID 0
- C. Array LUNs must be thin.
- D. Array LUNs must be RAID 1

Answer: A

Question: 5

You are doing a code upgrade on a VPLEX. In which directory do you put the upgrade files in order to execute the code upgrade?

Response:

- A. /tmp/vfs
- B. /diags/collect-diagnostics-out
- C. /tmp/VPLexInstallPackages
- D. /tmp/diags

Answer: C

Question: 6

You present additional LUNs to VPLEX. Which command must be executed to make them visible to VPLEX?

Response:

- A. Array discover
- B. Array re-discover

- C. Array claim
- D. Storage-volume find-array

Answer: B

Question: 7

A dual fan failure occurs on a single VPLEX engine. What will be the result?

Response:

- A. The engine will shut down immediately.
- B. Director B only will shut down.
- C. Director A only will shut down.
- D. The engine will shut down after three minutes.

Answer: D

Question: 8

Which command is used to remove a custom monitor?

Response:

- A. monitor stop
- B. monitor disable
- C. monitor delete
- D. monitor destroy

Answer: D

Question: 9

In the distributed cache architecture, how much local cache does a VS2 director have?

Response:

- A. 36 GB
- B. 64 GB
- C. 32 GB
- D. 72 GB

Answer: A

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at: <https://www.examsboost.com/test/d-vpx-dy-a-24>