Broadcom 250-444

Broadcom Symantec Secure Sockets Layer Visibility 5.0 Technical Specialist



For More Information - Visit link below:

https://www.examsboost.com/

Product Version

- ✓ Up to Date products, reliable and verified.
 - ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1


What is the job of the Inspection Services? Response:

- A. It defines how the traffic is to be inspected
- B. It allows SSL/TLS flows to be logged
- C. It defines what traffic is to be inspected
- D. It tracks flows that have been proxied

Answer: A

Question: 2

Refer to the exhibit.



What action will take place for traffic on the wire, if a failure takes place? Response:

- A. Traffic will Fail, dropping completely not be inspected by the security device
- B. Traffic will Fail-to-Appliance and continue to pass not decrypted but still inspected
- C. Traffic will not Fail at all, continue to be decrypted and inspected by the security device
- D. Traffic will Fail-to-Network and continue to pass not decrypted and uninspected

Answer: D

Question: 3

What is the minimal number of copy ports that must be used to send directional (from side A or side B) traffic from the network ports to the copy port(s)? Response:

A. Only One

- B. Two or more
- C. Two or Four
- D. All Four

Answer: B

Question: 4

Which two (2) pieces of information are contained in the server's response to the client's request, when an SSL/TLS session is initiated?

(Select two)

Response:

- A. Server certificate
- B. Server public key
- C. Server private key
- D. Client public key
- E. Client private key

Answer: A,B

Question: 5

Why have the versions of SSL and TLS changed over time? Response:

- A. To identify new certificate authorities
- B. To implement better security measures
- C. To add more hosts to the encryption policy
- D. To enforce data integrity

Answer: B

Question: 6

Which is a grouping of interfaces that receives a network feed and enforces policy? Response:

- A. Ruleset
- B. Policy list
- C. Segment
- D. Aggregation port

Α	n	cı	A	Δ	r.	
\boldsymbol{H}		31	vv	C		_

Question: 7

How are the management ports paired on failure, for appliances with more than one management interface?

Response:

- A. Management port 1 is port paired with management port 2
- B. Management port 1 is paired with network port 1 and so on
- C. Management ports are not paired, only network ports are
- D. Management port 1 is paired with the last network port

Answer: C

Question: 8

What does the term "fail-to-appliance" refer to? Response:

- A. It means that network traffic is sent to the SSLV appliance on physical failure
- B. It means that management traffic is sent to the redundant appliance on failure
- C. It means that traffic is no longer sent to the active security appliance on failure
- D. It means that network traffic is sent to the active security appliance on failure

Answer: D

Question: 9

Which connectivity mode sends SSL traffic to the inspecting device and the inspecting device returnsit to the SSLV after processing?

Response:

- A. Active-Inline
- B. Passive-Inline
- C. Active-tap
- D. Passive-tap

Answer: A

Question: 10

Why would the first policy push, to the SSLV from the Management Center, present a warning message? Response:

- A. The existing policy is about to be overwritten
- B. To warn the administrator of a policy change
- C. The appliance contains the wrong device ID
- D. The policy is going to the wrong type of device

Answer: A

Thank You for Trying Our Product

For More Information – Visit link below:

https://www.examsboost.com/

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ 90 Days Free Updates
- **✓** Money Back Pass Guarantee
- ✓ Instant Download or Email Attachment
- ✓ 24/7 Live Chat Support
- **✓** PDF file could be used at any Platform
- ✓ 50,000 Happy Customer

