

Boost up Your Certification Score

SAP C_BW4H_2505

SAP Certified Associate - Data Engineer - SAP BW/4HANA



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Latest Version: 7.2

Subjects

1. InfoObjects and InfoProviders
2. Data Acquisition into SAP HANA
3. SAP Analytics Tools and SAP Analytics Cloud
4. Data Acquisition into SAP BW/4HANA
5. Fundamentals
6. SAP BW/4HANA Data Flow
7. Native SAP HANA Modeling
8. SAP BW Query Design
9. SAP BW/4HANA Project and Modeling Process
10. SAP BW/4HANA Modeling

Topic: 1

InfoObjects and InfoProviders

Question: 1

What are the prerequisites for deleting business partner attribute master data in SAP BW/4HANA? Note: There are 2 correct answers to this question.

- A. In SAP BW/4HANA, there must be no hierarchy data related to business partner values that should be deleted.
- B. In SAP BW/4HANA, there must be no analysis authorizations related to business partner values that should be deleted
- C. There must be no transaction data in a DataStore Object (advanced) referring to business partner values that should be deleted.
- D. There must be no BW query as InfoProvider in SAP BW/4HANA that uses business partner as a free characteristic.

Answer: A, C

InfoObjects and InfoProviders

Question: 2

Which data deletion options are offered for a Standard DataStore Object (advanced)? Note: There are 3 correct answers to this question.

- A. Selective deletion of data
- B. Selective deletion including data of subsequent targets
- C. Request-based data deletion
- D. Deletion of data from all tables

E. Deletion of all data from active table only

Answer: A, C, D

InfoObjects and InfoProviders

Question: 3

Your company manufactures products with country-specific serial numbers. For this scenario, you have created 3 custom characteristics with the technical names "PRODUCT", "COUNTRY" and "SERIAL_NO". How do you need to model the characteristic "PRODUCT" to store different attribute values for serial numbers?

- A. Use "COUNTRY" as compounding characteristic for "PRODUCT".
- B. Use "SERIAL_NO" as a transitive attribute for "PRODUCT".
- C. Use "COUNTRY" as a navigation attribute for "PRODUCT".
- D. Use "SERIAL_NO" as compounding characteristic for "PRODUCT".

Answer: D

InfoObjects and InfoProviders

Question: 4

You created an Open ODS View on an SAP HANA database table to virtually consume the data in SAP BW/4HANA. Real-time reporting requirements have now changed and you are asked to persist the data in SAP BW/4HANA.

Which objects are created when using the "Generate Data Flow" function in the Open ODS View editor?
Note: There are 3 correct answers to this question.

- A. Data source
- B. DataStore object (advanced)
- C. Transformation
- D. CompositeProvider
- E. SAP HANA calculation view

Answer: A, B, C

InfoObjects and InfoProviders

Question: 5

You created an Open ODS view of type Facts.

With which object types can you associate a field in the characteristics folder? Note: There are 2 correct answers to this question.

- A. Open ODS view of type Facts
- B. HDI Calculation View of data category Dimension
- C. InfoObject of type Characteristic
- D. Open ODS view of type Master Data

Answer: C, D

InfoObjects and InfoProviders

Question: 6

What should you consider when you set the High Cardinality flag for a characteristic? Note: There are 2 correct answers to this question.

- A. You cannot use this characteristic as an external characteristic in hierarchies.
- B. You cannot load more than 2 billion master data records for this characteristic.
- C. You cannot use navigation attributes for this characteristic.
- D. You cannot use this characteristic as a navigation attribute for another characteristic.

Answer: A, D

InfoObjects and InfoProviders

Question: 7

What does a CompositeProvider allow you to do in SAP BW/4HANA? Note: There are 3 correct answers to this question.

- A. Join two ABAP CDS views
- B. Define new restricted key figures
- C. Create new calculated fields
- D. Combine InfoProviders using Joins and Unions
- E. Integrate SAP HANA calculation views

Answer: C, D, E

InfoObjects and InfoProviders

Question: 8

For InfoObject ADDRESS, the High Cardinality flag has been set. However, ADDRESS has an attribute CITY without the High Cardinality flag. What is the effect on SID values in this scenario?

- A. SID values are generated when InfoObject ADDRESS is activated.

- B. SID values are generated when data for InfoObject ADDRESS is loaded.
- C. SID values are generated when InfoObject CITY is activated.
- D. SID values are not stored for InfoObject ADDRESS.

Answer: D

InfoObjects and InfoProviders

Question: 9

You create a DataStore object (advanced) using the "Data Mart DataStore Object" modeling property. Which behaviors are specific to this modeling property? Note: There are 2 correct answers to this question.

- A. The records are treated as if all characteristics are in the key.
- B. Reporting is done based on a union of the inbound and active tables.
- C. Query results are shown only when data has been activated.
- D. The change log table will be filled only after data activation.

Answer: A, B

Topic: 2

Data Acquisition into SAP HANA

Question: 10

You want to access data from a table residing in an external database using an SAP HANA SDA remote source. Which other SAP HANA element is required to access its data?

- A. Flowgraph
- B. Virtual Table
- C. Table Function
- D. Replication Task

Answer: B

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit us at: <https://www.examsboost.com/test/c-bw4h-2505>